

ACCESSORIES



ACCESSORIES

Choose the appropriate supplements for your rolltainer® or nestainer® out of the various accessories. Use protective covers to protect your goods or use our safety handle tainergrip® for your own protection. Secure the goods with the innovative gummitex® straps or establish order in your day-to-day business with the help of intermediate shelves. The opportunities are not infinite but numerous. Make your choice on the following pages.

The RIGHT
ACCESSORIES
available for every
requirement



IMPROVE
YOUR
CONTAINER
according to your
wishes

SECURING GRID

for rolltainer®

Although a roll container protects the goods better than an ordinary pallet and accessories like straps bring additional safety, still a lot of disposable packaging in the form of winding film is used. With our securing grid this is no longer necessary. An important step to more sustainability.

TECHNICAL HIGHLIGHTS


- solid mesh with 8 mm thick frame made of wire and two hinges, galvanized surface
- flexibility and adaptability through a new developed double hinge
- it is secured with two straps (textile strap or gummitex®)
- the compression of empties and their return take place as before



The securing grids can be mounted on the side panels with Ø 22 mm round tube with minimum effort. No drilling or similar work necessary.

	securing grid
usable height 1350	SGK1220580S0B5C
usable height 1450	SGK1320580S0B4C

Our
STRAPS
available on
PAGE 143



A sheet metal board is welded to the securing grid. Here you will find space for barcode labels or your company logo.

securing grid for usable height 1350

- 580 x 1220 mm (w x h)
- frame made of Ø 8 mm wire, circumferential
- Ø 5 mm wire, 112 x 118 mm, 4x vertical, 9x horizontal
- sheet metal board 107 x 116 x 1.5 mm
- ca. 3.5 kg

securing grid for usable height 1450

- 580 x 1320 mm (w x h)
- frame made of Ø 8 wire, circumferential
- Ø 5 wire, 112 x 118 mm, 4x vertical, 10x horizontal
- sheet metal board 107 x 116 x 1.5 mm
- ca. 3.7 kg



rolltainer®

nestainer®

METAL ROLL
CONTAINERS

LAUNDRY
CONTAINERS

rolldolly®

CARGO
SYSTEMS

SPECIAL
APPLICATIONS

WHEELS AND
CASTORS

ACCESSORIES

The overhead stacking is also possible with mounted securing grids.

ACCESSORIES PROTECTIVE COVERS



one-way cover for rolltainer® 724 x 815 mm

- Usable as rain protection and dust protection

usable height 1460 mm transparent	EPA14600000
usable height 1650 mm transparent	EPA16500000



one-way cover for rolltainer® 724 x 815 mm

- Usable as rain protection and dust protection

usable height 1460 mm milky-white	EPA14609010
usable height 1650 mm milky-white	EPA16509010



one-way cover for rolltainer® 724 x 815 mm

- Usable as rain protection and dust protection

usable height 1460 mm black	EPA14609005
-------------------------------	-------------

PERSONALIZE THE COVER WITH YOUR LOGO

The protective cover made of PE-woven fabric can be personalized. We are happy to place a patch with your logo or other requested information on the cover.

Feel free to contact us, we are happy to advise you!



protective cover for rolltainer® 724 x 815 mm

- protective cover made of PE-woven fabric grey
- both head sides can be opened completely with 2 sewed zips, therefore the roll container can be opened as well in spite of the superimposed cover
- usable as rain protection, visual and theft protection
- for repeated use, very solid version
- prints on the cover possible on request

usable height 1460 mm

AHA14609010

usable height 1650 mm

AHA16509010



protective cover for nestainer® 3-sided 1450 / 1550

- dimensions ca. 735 x 825 x 1560 mm (w/d/h)
- made of PE-woven fabric
- colour: light grey
- one head side (735er width) with 2 sewed zips openable

usable height 1560 mm

AHA15309010



thermal cover for rolltainer® 724 x 815 mm

- short-termed thermal protection or protection against cold for roll containers 724 x 815 mm
- made of air bubble film (3 mm) with one-sided alu steamed polyester film with tread ply
- average heat conductivity 0,0344 l [W/mK]
- thermal resistivity 0,09 R [m²K/W], heat trasmission value 11,46 k [W/m²K]
- both head sides can be opened completely with 2 sewed zips, therefore the roll container can be opened as well in spite of the superimposed cover

usable height 1460 mm

THA14609006

ACCESSORIES tainergrip®



tainergrip® orange for rolltainer®, unmounted version for side panel with flat bars

- plastic handle set for roll containers, consisting of two handles
- version for attaching to side panels with flat bars
- ergonomically shaped handle
- material: PA orange

handle set KU orange for rolltainer®

F90A01PAF2004S2



tainergrip® red for rolltainer®, unmounted version for side panel with tube

- plastic handle set for roll containers, consisting of two handles
- version for attaching to side panel with tube
- ergonomically shaped handle
- material: PA red

handle set KU red for rolltainer®

F90A00PAQ3000S2



tainergrip® red for metal roll containers, version for permanent installation

- plastic handle set for roll containers for permanent installation, consisting of two handles
- easy assembling, for all side panels made of round tube $\varnothing$ 22 mm and square pipe 22 x 22 mm
- ergonomically shaped handle
- material: PA red

handle set KU red for metal roll containers

F90A02PAV3000S2M



handle set ME, Cr 3, for metal roll containers with panels made of ø 22 mm round tube

- easy assembling, for all side panels made of round tube ø 22 mm
- set = two handles incl. assembling material
- surface: galvanized blue
- later assembling possible

handle set ME, Cr 3 for metal roll containers
round tube

S5ZUBF001



handle set ME, Cr 3, for metal roll containers with panels made of square pipe 22 x 22 mm

- easy assembling, for all side panels made of square pipe 22 x 22 mm
- set = two handles incl. assembling material
- surface: galvanized blue

handle set ME, Cr 3 for metal roll containers
square pipe

S5ZUBF002

SAFETY AT WORK IS A TOP PRIORITY

Through the mounted handles you have on the one hand a better possibility to grab the roll container and therefore get a better handling, on the other hand the safety distance to the roll container is extended and you avoid bruises and abrasions. Safe and effective work is guaranteed. A big advantage of the trainergrip® is the quick and easy assembling and thus a smooth workflow.



ACCESSORIES EXTENSIONS



back wall frame ME, for rolltainer® 724 x 815 mm, Cr 3

- stability frame made of $\varnothing$ 22 mm round tube, incl. four plastic clamps, screws and nuts as well as two end plugs
- surface: galvanized blue

back wall frame ME

MSR300650DMC030



clothes bar ME, Cr 3, for rolltainer® 724 x 815 mm

- bar made of round tube $\varnothing$ 22 mm
- mounting on one side with plastic clamp and screw
- surface: galvanized blue

clothes bar ME

SK673C



document holder KU, for rolltainer® side panel, retrofittable

- document holder made of plastic PE
- easy assembling through clamping at the side panel
- dimension: 270 x 160 mm

document holder KU red

KATA3000

document holder KU blue

KATA5010



document holder KU blue, without foot, retrofit- table

- document holder made of plastic PE gentian blue similar to RAL 5010
- version for 4 vertical flat bars
- dimension: 225 x 160 mm

document holder KU blue, without foot

KATAUTOF5010



picking board with clipboard, Cr 3

- metal board made of sheet steel, type DIN A4
- with metal clamp for attaching documents
- surface: galvanized blue

picking board with clipboard

MKTEC01



picking board with clipboard, Cr 3, inclinable

- metal board made of sheet steel, type DIN A4
- with metal clamp for attaching documents
- wire attachment in the back for inclination
- surface: galvanized blue

picking board with clipboard, inclinable

MKTKC02



sheet metal board for rolltainer® side panel, Cr 3, retrofittable

- retrofittable sheet metal board for the standard side panels of the roll containers, surface Cr 3 blue galvanized
- easy assembling through clamping and riveting at the side panels
- dimension: 160 x 166 mm

sheet metal board for roll containers side panel

BTK160166CM



sheet metal board with laser writing, Cr 3, retrofittable

- with individual laser engraving
- retrofittable sheet metal board for the standard side panels of the roll containers, surface Cr 3 blue galvanized
- easy assembling through clamping and riveting at the side panels
- dimension: 160 x 166 mm

sheet metal board

ACCESSORIES EXTENSIONS



drawbar and coupling system, Cr 3, for roll containers with plastic base, 724 x 815 and 682 x 815 mm

- adapter made of solid material $\varnothing$ 25 mm
- ideal for building a tugger train
- suitable for all roll containers with plastic base
- drawbar with spring, as u-profile ca. 520 x 50 mm, hole dimension $\varnothing$ 30 mm
- surface: galvanized blue

drawbar and coupling system,
for roll containers with plastic base

FDSKSC



drawbar and coupling system, Cr 3, for metal roll containers 800 x 1200 mm and 950 x 1350 mm

- drawbar made of flat bars 8 mm, length 390 mm
- hole dimension 26 mm, equipped with spring technique
- connector usable for tube 40 x 20 mm or 50 x 20 mm
- connector made of solid material $\varnothing$ 20 mm, ca. 80 mm length
- surface: galvanized blue

drawbar and coupling system, for metal roll containers 800 x 1200 mm and 950 x 1350 mm

FDSF20C



compactor for plastic film, Cr 3, for roll containers 724 x 815 mm

- auxiliary equipment for the collection and compression of packaging foils as insert in roll containers (724 x 815 mm)
- through the opening, packing films can be collected and effectively compacted
- surface: Cr 3 blue galvanized

compactor for plastic film

FVDKDMC01




forklift infeed lugs for metal roll containers

- safe transport with the forklift, for metal roll container 800x1200, metal roll container 950x1350, metal roll container 800x1600 und metal roll container 620x1500
- dimensions: 190 x 35 mm, entry height: 90 mm
- two drilled holes ($\varnothing$ 8 mm) for screwing to the frame
- surface: galvanized blue

forklift infeed lugs for metal roll containers

MKUF18090C



rubber strap, black

- dimension: 37 x 400 mm
- max. recommended span length 750 mm
- colour black, hook: galvanized blue


rubber strap, 2 hooks dimension: 37 x 480 mm	B454001
rubber strap, 1 hook / 1 loop dimension: 37 x 400 mm	B454002



gummitex®, dark grey

- textile strap with elastic
- max. recommended span length 750 mm
- colour: dark grey, hook: galvanized blue


gummitex®, 2 hooks, without logo, dimension: 50 x 520 mm	E150001BL
gummitex®, 1 hook / 1 loop, without logo, dimension: 50 x 560 mm	E150002BL



textile strap with sewn-in elastic strap, 1 lock / 1 hook

- two elastic textile straps made of PP with a hook and a lock
- dimension: 1050 x 25 mm, max. recommended span length 800 mm

yellow	E459960
black	E459966
red	E459961
blue	E459965



textile strap, 1 lock / 1 hook

- textile strap with a hook and a lock
- dimension: 1050 x 25 mm, max. recommended span length 800 mm

yellow	E459940
black	E459943
red	E459941
blue	E459945

rolltainer® INTERMEDIATE SHELVES

classification of intermediate shelves for rolltainer®		shelf 716 x 812 (RB 2-sided 724er)	shelf 716 x 762 (RB 2/3-sided 724er)	shelf 716x 762 (2/ 3-sided 724er) rec.	shelf 716 x 712 (RB 4-sided 724er)	shelf 716x 762 (4-sided 724er) rec.	shelf 674 x 812 (RB 2-sided 682er)	shelf 674 x 762 (RB 3-sided 682er)	shelf 674 x 712 (RB 4-sided 682er)
		F70A02PEF33000	E70A23PEF33000	E70A23RCF39005	E70A04PEF33000	E70A04RCF39005	E70B02PEF33000	E70B03PEF33000	E70B04PEF33000
rolltainer® 1350 QP 2-sided ► in the catalogue on page 11	KB2A501013505010S01101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1450 QP 2-sided ► in the catalogue on page 11	KB2A501014505010S02101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1350 QP 3-sided ► in the catalogue on page 11	KB3A501013505010S01101		✓	✓	(✓)	(✓)			
rolltainer® 1450 QP 3-sided ► in the catalogue on page 11	KB3A501014505010S02101		✓	✓	(✓)	(✓)			
rolltainer® 1350 QV 2-sided ► in the catalogue on page 12	KB2A50101350CS01101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1450 QV 2-sided ► in the catalogue on page 12	KB2A50101450CS02101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1350 QV 3-sided ► in the catalogue on page 12	KB3A50101350CS01101		✓	✓	(✓)	(✓)			
rolltainer® 1450 QV 3-sided ► in the catalogue on page 12	KB3A50101450CS02101		✓	✓	(✓)	(✓)			
rolltainer® 1350 QV 4-sided ► in the catalogue on page 12	KB4A50101350CS01101				✓	✓			
rolltainer® 1450 QV 4-sided ► in the catalogue on page 12	KB4A50101450CS02101				✓	✓			
rolltainer® 682 1460 2-sided ► in the catalogue on page 24	KB2B50101460CS03101						✓	(✓)	(✓)
rolltainer® 682 1460 3-sided ► in the catalogue on page 24	KB3B50101460CS03101							✓	(✓)
rolltainer® 682 1500 F 2-sided ► in the catalogue on page 27	KB2B50101500HDS00101								
rolltainer® 682 1500 F 3-sided ► in the catalogue on page 27	KB3B50101500HDS00101								
rolltainer® 682 1500 F 4-sided ► in the catalogue on page 27	KB4B50101500HDS00101								
rolltainer® 1460 FV 2-sided ► in the catalogue on page 14	KB2A50101460CS03101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1650 FV 2-sided ► in the catalogue on page 15	KB2A50101650CS04101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1460 FV 3-sided ► in the catalogue on page 14	KB3A50101460CS03101		✓	✓	(✓)	(✓)			
rolltainer® 1650 FV 3-sided ► in the catalogue on page 15	KB3A50101650CS04101		✓	✓	(✓)	(✓)			
rolltainer® 1460 FV with front wall foldable and pivotable 4-sided ► in the catalogue on page 14	KB4A50101460CS03101				✓	✓			

✓ suitable combination
(✓) suitable combination with restrictions

✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							✓	✓	✓	✓	plastic shelf half length made of E70A23PEF3
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓											plastic shelf half length made of rec.
																				shelf 716 x 812 closed vers. 2-sided
																				shelf 716 x 762 closed vers. 3-sided
																				shelf 716 x 812 closed vers. 2-sided stainless steel FE
																				shelf 716 x 762 closed vers. 3-sided stainless steel FE
✓	✓	✓	✓																	shelf for ADB with 3 flat bars
✓																				metal shelf (RB 2/3/4/5-sided 724er)
✓																				wooden shelf (RB 2/3/4/5-sided 724er)
																		✓	✓	shelf 712 x 808 (RB comfort system)
																				metal shelf (RB 2/3/4/5-sided 682er)
																				metal shelf ROLL SHELF
																				wire basket
																				metal shelf 715 x 767 mm, type SB, with 30 mm anti-slip edge

rolltainer® INTERMEDIATE SHELVES

classification of intermediate shelves for rolltainer®		shelf 716 x 812 (RB 2-sided 724er)	shelf 716 x 762 (RB 2/3-sided 724er)	shelf 716x 762 (2/ 3-sided 724er) rec.	shelf 716 x 712 (RB 4-sided 724er)	shelf 716x 762 (4-sided 724er) rec.	shelf 674 x 812 (RB 2-sided 682er)	shelf 674 x 762 (RB 3-sided 682er)	shelf 674 x 712 (RB 4-sided 682er)
		F70A02PEF33000	E70A23PEF33000	E70A23RCF39005	E70A04PEF33000	E70A04RCF39005	E70B02PEF33000	E70B03PEF33000	E70B04PEF33000
rolltainer® 1650 FV with front wall foldable and pivotable 4-sided ► in the catalogue on page 15	KB4A50101650CS04101				✓	✓			
rolltainer® 1650 FV with front wall pivotable in two pieces 4-sided ► in the catalogue on page 15	KB4A50101650CS04201				✓	✓			
rolltainer® 1460 FV with front wall pivotable in one piece 4-sided ► in the catalogue on page 14	KB4A50101460CS03301				✓	✓			
rolltainer® 1650 FV with front wall pivotable in one piece 4-sided ► in the catalogue on page 15	KB4A50101650CS04301				✓	✓			
rolltainer® 1460 FV 2-sided ► in the catalogue on page 14	MB2AC1460CS03101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1650 FV 2-sided ► in the catalogue on page 15	MB2AC1650CS04101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1460 FV 3-sided ► in the catalogue on page 14	MB3AC1460CS03101		✓	✓	(✓)	(✓)			
rolltainer® 1650 FV 3-sided ► in the catalogue on page 15	MB3AC1650CS04101		✓	✓	(✓)	(✓)			
rolltainer® 1460 FV with front wall foldable and pivotable 4-sided ► in the catalogue on page 14	MB4AC1460CS03101				✓	✓			
rolltainer® 1650 FV with front wall foldable and pivotable 4-sided ► in the catalogue on page 15	MB4AC1650CS04101				✓	✓			
rolltainer® 1650 FV with front wall pivotable in two pieces 4-sided ► in the catalogue on page 15	MB4AC1650CS04201				✓	✓			
rolltainer® 1460 FV with front wall pivotable in one piece 4-sided ► in the catalogue on page 14	MB4AC1460CS03301				✓	✓			
rolltainer® 1650 FV with front wall pivotable in one piece 4-sided ► in the catalogue on page 15	MB4AC1650CS04301				✓	✓			
rolltainer® 1460 FV 2-sided ► in the catalogue on page 14	HB2AN1460CS03101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1650 FV 2-sided ► in the catalogue on page 15	HB2AN1650CS04101	✓	✓	✓	(✓)	(✓)			
rolltainer® 1460 FV 3-sided ► in the catalogue on page 14	HB3AN1460CS03101		✓	✓	(✓)	(✓)			
rolltainer® 1650 FV 3-sided ► in the catalogue on page 15	HB3AN1650CS04101		✓	✓	(✓)	(✓)			

✓ suitable combination
(✓) suitable combination with restrictions

✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	plastic shelf half length made of E70A23PEF3
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	plastic shelf half length made of rec.
																shelf 716 x 812 closed vers. 2-sided
✓	✓					✓	✓									shelf 716 x 762 closed vers. 3-sided
																shelf 716 x 812 closed vers. 2-sided stainless steel FE
																shelf 716 x 762 closed vers. 3-sided stainless steel FE
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	shelf for ADB with 3 flat bars
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	metal shelf (RB 2/3/4/5-sided 724er)
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	wooden shelf (RB 2/3/4/5-sided 724er)
																shelf 712 x 808 (RB comfort system)
																metal shelf (RB 2/3/4/5-sided 682er)
																metal shelf ROLL SHELF
																wire basket
																metal shelf 715 x 767 mm, type SB, with 30 mm anti-slip edge

rolltainer® INTERMEDIATE SHELVES

classification of intermediate shelves for rolltainer®		shelf 716 x 812 (RB 2-sided 724er)	shelf 716 x 762 (RB 2/3-sided 724er)	shelf 716x 762 (2/ 3-sided 724er) rec.	shelf 716 x 712 (RB 4-sided 724er)	shelf 716x 762 (4-sided 724er) rec.	shelf 674 x 812 (RB 2-sided 682er)	shelf 674 x 762 (RB 3-sided 682er)	shelf 674 x 712 (RB 4-sided 682er)
		F70A02PEF33000	E70A23PEF33000	E70A23RCF39005	E70A04PEF33000	E70A04RCF39005	E70B02PEF33000	E70B03PEF33000	E70B04PEF33000
rolltainer® 1460 FV with front wall foldable and pivotable 4-sided ▶ in the catalogue on page 14	HB4AN1460CS03101				✓	✓			
rolltainer® 1650 FV with front wall foldable and pivotable 4-sided ▶ in the catalogue on page 15	HB4AN1650CS04101				✓	✓			
rolltainer® 1650 FV with front wall pivotable in two pieces 4-sided ▶ in the catalogue on page 15	HB4AN1650CS04201				✓	✓			
rolltainer® 1460 FV with front wall pivotable in one piece 4-sided ▶ in the catalogue on page 14	HB4AN1460CS03301				✓	✓			
rolltainer® 1650 FV with front wall pivotable in one piece 4-sided ▶ in the catalogue on page 15	HB4AN1650CS04301				✓	✓			
rolltainer® roll shelf with three intermediate shelves with 20° inclination 3-sided ▶ in the catalogue on page 16	KRR3A50101600C104								
rolltainer® roll shelf with three intermediate shelves without incli- nation 3-sided ▶ in the catalogue on page 16	KRR3A50101600C204								
rolltainer® 682 ADB 1600 3-sided ▶ in the catalogue on page 26	KAD3B50101600COZ101								
rolltainer® 682 ADB 1600 4-sided ▶ in the catalogue on page 26	KAD4B50101600COZ101								
rolltainer® 682 ADB 1600 5-sided ▶ in the catalogue on page 26	KAD5B50101600COZ101								
rolltainer® ADB 1600 3-sided ▶ in the catalogue on page 20	KAD3A50101600COZ101								
rolltainer® ADB 1350 3-sided ▶ in the catalogue on page 19	KAD3A50101350COZ101								
rolltainer® ADB 1020 3-sided ▶ in the catalogue on page 18	KAD3A50101020COZ101								
rolltainer® ADB 1600 4-sided ▶ in the catalogue on page 20	KAD4A50101600COZ101								

✓ suitable combination
(✓) suitable combination with restrictions

																				plastic shelf half length made of E70A23PEF3
																				plastic shelf half length made of rec.
																				shelf 716 x 812 closed vers. 2-sided
																				shelf 716 x 762 closed vers. 3-sided
																				shelf 716 x 812 closed vers. 2-sided stainless steel FE
																				shelf 716 x 762 closed vers. 3-sided stainless steel FE
																				shelf for ADB with 3 flat bars
																				metal shelf (RB 2/3/4/5-sided 724er)
																				wooden shelf (RB 2/3/4/5-sided 724er)
																				shelf 712 x 808 (RB comfort system)
																				metal shelf (RB 2/3/4/5-sided 682er)
																				metal shelf ROLL SHELF
																				wire basket
																				metal shelf 715 x 767 mm, type SB, with 30 mm anti-slip edge

rolltainer® INTERMEDIATE SHELVES

classification of intermediate shelves for rolltainer®		shelf 716 x 812 (RB 2-sided 724er)	shelf 716 x 762 (RB 2/3-sided 724er)	shelf 716x 762 (2/ 3-sided 724er) rec.	shelf 716 x 712 (RB 4-sided 724er)	shelf 716x 762 (4-sided 724er) rec.	shelf 674 x 812 (RB 2-sided 682er)	shelf 674 x 762 (RB 3-sided 682er)	shelf 674 x 712 (RB 4-sided 682er)
		F70A02PEF33000	E70A23PEF33000	E70A23RCF39005	E70A04PEF33000	E70A04RCF39005	E70B02PEF33000	E70B03PEF33000	E70B04PEF33000
rolltainer® ADB 1350 4-sided ▶ in the catalogue on page 19	KAD4A50101350COZ101								
rolltainer® ADB 1020 4-sided ▶ in the catalogue on page 18	KAD4A50101020COZ101								
rolltainer® ADB 1600 5-sided ▶ in the catalogue on page 20	KAD5A50101600COZ101								
rolltainer® ADB 1600 with one door and a foldable intermediate shelf 5-sided ▶ in the catalogue on page 21	KAD5A50101600C1Z101								
rolltainer® with cover 5-sided ▶ in the catalogue on page 23	KAD5A50101600COZ901								
rolltainer® ADB 1350 5-sided ▶ in the catalogue on page 19	KAD5A50101350COZ101								
rolltainer® ADB 1020 5-sided ▶ in the catalogue on page 18	KAD5A50101020COZ101								
rolltainer® ADB 1600 with a two- section door and a foldable intermediate shelf 5-sided ▶ in the catalogue on page 21	KAD5A50101600C1Z201								
rolltainer® ADB 1410 5-sided ▶ in the catalogue on page 23	KAD5A50101410COZ301								
rolltainer® ADB 1460 4-sided ▶ in the catalogue on page 23	KAD4A50101460COZ302								
rolltainer® special plastic 724 x 815 x 1.655 mm 2-sided ▶ in the catalogue on page 30	KB3A50101450CS57111								
rolltainer® hygiene 2-sided ▶ in the catalogue on page 29	KB2A70461530A2S241I3								
rolltainer® hygiene 3-sided in the catalogue on page 29	KB3A70461530A2S241I3								
rolltainer® comfort system 2-sided ▶ in the catalogue on page 36/37	KB2A70041725CS09156		✓	✓	✓	✓			✓
rolltainer® sloping loading platform 3-sided ▶ in the catalogue on page 28	KB3A50121600CS66156								

✓ suitable combination
(✓) suitable combination with restrictions

	✓																		E70H23PEF37046	plastic shelf half length made of E70A23PEF3
																			E70H23RCF39005	plastic shelf half length made of rec.
																			F71A02PEF37046	shelf 716 x 812 closed vers. 2-sided
																			F71A03PEF37046	shelf 716 x 762 closed vers. 3-sided
																	✓		F71A02PEF37046E	shelf 716 x 812 closed vers. 2-sided stainless steel FE
																	✓		F71A03PEF37046E	shelf 716 x 762 closed vers. 3-sided stainless steel FE
																		✓	F73F05PEF37046	shelf for ADB with 3 flat bars
✓																			ZBD725ADLC004	metal shelf (RB 2/3/4/5-sided 724er)
	✓																		ZBH660710F2	wooden shelf (RB 2/3/4/5-sided 724er)
	✓																		W70A02PPF57004	shelf 712 x 808 (RB comfort system)
																			ZBD682ADLC008	metal shelf (RB 2/3/4/5-sided 682er)
																			ZBD810RRMRC01	metal shelf ROLL SHELF
																	✓		DK720C01	wire basket
✓																			ZBD715767MRKD	metal shelf 715 x 767 mm, type SB, with 30 mm anti-slip edge

nestainer® INTERMEDIATE SHELVES

classification of intermediate shelves for nestainer®		shelf 716 x 812 (RB 2-sided 724er)	shelf 716 x 762 (RB 2/3-sided 724er)	shelf 716x 762 (2/ 3-sided 724er) rec.	shelf 716 x 712 (RB 4-sided 724er)	shelf 716x 762 (4- sided 724er) rec.	shelf 674 x 812 (RB 2-sided 682er)
		F70A02PEF33000	E70A23PEF33000	E70A23RCF39005	E70A04PEF33000	E70A04RCF39005	E70B02PEF33000
nestainer® Ergo 1460 S 2-sided ▶ in the catalogue on page 44	N2700800CCOZ019	✓	✓	✓			
nestainer® Ergo 1460 S 3-sided ▶ in the catalogue on page 44	N3700800CCOZ019		✓	✓			
nestainer® Ergo 1460 S 4-sided ▶ in the catalogue on page 44	N4700800CCOZ019				✓	✓	
nestainer® ADB 1600 ME KU, 725 x 820 mm ▶ in the catalogue on page 47	N5730815CCOZ246						
nestainer® ADB 1600 ME KU, 725 x 820 mm ▶ in the catalogue on page 47	N5730815CC1Z046						
nestainer® ADB 1600 ME KU, 725 x 820 mm ▶ in the catalogue on page 47	N5730815CCOZ546						
nestainer® ADB 1600 ME KU, 725 x 820 mm ▶ in the catalogue on page 47	N5730815CC1Z346						
nestainer® ADB 1600 ME KU, 725 x 820 mm ▶ in the catalogue on page 47	N5730815CCOZ446						
nestainer® ADB 1600 ME KU, 725 x 820 mm ▶ in the catalogue on page 47	N5730815CC1Z146						
nestainer® ADB 1600 ME KU, 725 x 880 mm ▶ in the catalogue on page 48	N5730815CCOZ946						
nestainer® ADB 1600 ME KU, 725 x 880 mm ▶ in the catalogue on page 48	N5730815CC1Z646						
nestainer® ADB 1600 ME KU, 725 x 880 mm ▶ in the catalogue on page 48	N5730815CCOZ146						
nestainer® ADB 1600 ME KU, 725 x 880 mm ▶ in the catalogue on page 48	N5730815CC1Z846						
nestainer® ADB 1600 ME KU, 725 x 880 mm ▶ in the catalogue on page 48	N5730815CCOZ046						
nestainer® ADB 1600 ME KU, 725 x 880 mm ▶ in the catalogue on page 48	N5730815CC1Z746						

✓ suitable combination
(✓) suitable combination with restrictions

																	E70B03PEF33000	shelf 674 x 762 (RB 3-sided 682er)
																	E70B04PEF33000	shelf 674 x 712 (RB 4-sided 682er)
															✓	✓	E70H23PEF23000	plastic shelf half length made of E70A23PEF3
															✓	✓	E70H23RCF39005	plastic shelf half length made of rec.
																	F71A02PEF37046	shelf 716 x 812 closed vers. 2-sided
																	F71A03PEF37046	shelf 716 x 762 closed vers. 3-sided
																	F71A02PEF37046E	shelf 716 x 812 closed vers. 2-sided stainless steel FE
																	F71A03PEF37046E	shelf 716 x 762 closed vers. 3-sided stainless steel FE
																	F73F05PEF37046	shelf for ADB with 3 flat bars without cut out
																	ZBD725ADLC004	metal shelf (RB 2/3/4/5-sided 724er)
																	ZBH660710F2	wooden shelf (RB 2/3/4/5-sided 724er)
																	W70A02PPF57004	shelf 712 x 808 (RB comfort system)

OUR PRODUCTS AT A GLANCE

rolltainer®

logistic rollbox 1589 KU	30
base 675 x 815 mm	31
base 682	24
base 695 x 815 mm	31
base 724	7
base 780 x 790 mm	31
base with push handle	32
rolltainer® 1350 QP	10
rolltainer® 1350 QV	12
rolltainer® 1450 QP	10
rolltainer® 1450 QV	12
rolltainer® 1460 FV	14
rolltainer® 1650 FV	15
rolltainer® 1650 QV	12
rolltainer® 682 1350	25
rolltainer® 682 1460	24
rolltainer® 682 1500 F	27
rolltainer® 682 1650	24
rolltainer® 682 ADB 1600	26
rolltainer® ADB 1020	18
rolltainer® ADB 1350	19
rolltainer® ADB 1410	23
rolltainer® ADB 1460	23
rolltainer® ADB 1600	20
rolltainer® ADB 1600 „The Disposer“	22
rolltainer® hygienic stainless steel	29
rolltainer® plastic 724 x 815 x 1.655 mm	30
rolltainer® ROLL SHELF	16
rolltainer® SLOPING LOADING PLATFORM	28
rolltainer® with cover	23
accessories rolltainer®	35

nestainer®

nestainer® ERGO 1460 K	42
nestainer® ERGO 1460 S	44
nestainer® 1450	45
nestainer® 1550	46
nestainer® ADB 1600 ME KU, 725 x 820 mm	47
nestainer® ADB 1600 ME KU, 725 x 880 mm	48
nestainer® ADB 1600 ME, 800 x 1200 mm	49

metal roll containers

ball cart	60
picking cart M and L	66
picking cart S	64
picking cart XL	65
metal roll container 950 x 1350 mm	56
metal roll container 800 x 1600 mm	57
metal roll container 780 x 1650 mm	61
metal roll container 460 x 640 mm	52
metal roll container 600 x 600 mm	53
metal roll container 620 x 1500 mm	58
metal roll container 800 x 1200 mm	54
metal roll container ADB 800 x 1200 mm	62

laundry containers

laundry container 1590	76
laundry container 1600	76
laundry container 600 x 720 mm	70
laundry container 600 x 740 mm	72
laundry container 600 x 810 mm	73
laundry container 720 x 810 mm	71
laundry container 720 x 810 mm	74
accessories laundry containers	78

rolldolly®

furniture dolly	97
rolldolly® alu	94
rolldolly® classic	89
rolldolly® stainless steel	95
rolldolly® favorit	89
rolldolly® flex	92
rolldolly® light	88
rolldolly® steel	96
rolldolly® XL classic	90
rolldolly® XL favorit	90

cargo systems

Big-Boxes	110
bucket	115

disposal container on wooden or plastic pallet	104
ESD euro box	114
euro box	114
europallet and europallet roller	100
foldable box	114
meat box	114
mesh stacking frame PB	101
mesh stacking frame VZ	102
mesh stacking frame VZ on metal base	103
wooden stacking frame	106
insulated bulk container	108
plastic pallets	112
bins	115
angle frame for pallets and pallet cages	107

wheels and castors

AAB5 polyurethane brown Ø 100 mm	130
AAB5 polyurethane brown Ø 125 mm	130
AAE2 elastic grey Ø 100 mm	129
AAE2 elastic grey Ø 125 mm	129
AAU5 polyurethane Ø 100 mm	129
AAU5 polyurethane Ø 125 mm	129
M6N2 sandwich Ø 100 mm	127
M6N2 sandwich Ø 125 mm	127
N0N0 stainless steel Ø 100 mm	131
N0N0 stainless steel Ø 125 mm	131
N0N0 white Ø 100 mm	125
N0N0 white Ø 108 mm	124
N0N0 white Ø 125 mm	125
N2U6 stainless steel Ø 100 mm	131
N2U6 stainless steel Ø 125 mm	131
N2U6 polyurethane red Ø 100 mm	127
N2U6 polyurethane red Ø 125 mm	127
N4B5 polyurethane brown Ø 100 mm	130
N4B5 polyurethane brown Ø 125 mm	130
P0P0 white Ø 100 mm	125
P0P0 white Ø 108 mm	124
P0P0 white Ø 125 mm	125
P2G2 thermoplastic rubber Ø 100 mm	128

P2G2 thermoplastic rubber Ø 125 mm	128
P2W2 thermoplastic rubber Ø 100 mm	128
R4E1 elastic blue Ø 125 mm	126
R4E2 elastic grey Ø 100 mm	126
R4E2 elastic grey Ø 125 mm	126
R4F1 elastic blue Ø 100 mm	126

accessories

protective cover	136
sheet metal board for rolltainer® side panel	141
sheet metal board with laser writing, Cr 3, retrofittable	141
drawbar and coupling system, Cr 3	142
wire shelf for rolltainer®	35
corner protection made of metal	33
compactor for plastic film, Cr 3	142
rubber strap	143
gummitex®	143
wooden shelf for rolltainer® 724 x 815 mm	35
hygienic shelf KU for rolltainer® 724 x 815 mm	35
document holder KU, for rolltainer®	140
clothes bar ME	140
picking board with clipboard, Cr 3	141
picking board with clipboard, Cr 3, inclinable	141
rolltainer® with comfort system	36
back wall frame ME	140
safety handles (handle set)	139
securing grid	134
textile strap	143
shelf ADB closed, 724 x 815 mm	34
plastic shelf for rolltainer® 682 x 815 mm	34
plastic shelf for rolltainer® 724 x 815 mm	34
closed plastic shelf for rolltainer® 724 x 815 mm	35
plastic shelf half length for rolltainer® 724 x 815 mm	34

The information in this catalogue were compiled and examined carefully. However, errors and misprints, principally technical changes through further development and improvement of our products, excepted.

Pictures and illustrations are sometimes only similar or else exemplary and show possible options. Shown equipment and features are not necessarily included in the delivery scope.

The partial reprint or the duplication of the catalogue is only permitted with the explicit, written permission of FEIL rolltainer GmbH. All information in this catalogue, texts, illustrations, documents and descriptions are subject to copyright and to the proprietary notice restricting the utilization of documents and products according to DIN ISO 16016.

All rights reserved.

© Copyright FEIL rolltainer GmbH 2023



FEIL rolltainer GmbH

**Hankerfeld 8
59602 R then
Germany**

**phone: +49 2952 - 970958-80
fax: +49 2952 - 970958-29**

**e-mail: info@feil.eu
web: www.feil.eu**