

rolltainer®



For further information
about rolltainer®
please visit our website
www.feil.eu



rolltainer®

The possible applications of rolltainer® are almost unlimited: from transport to order picking to the storage of your products, there are no limits. Whether plastic, wooden or steel base – we offer a variety of options for our rolltainer®. Combine those with different intermediate shelves and numerous accessories and create the rolltainer® for your needs.




huge range of
**WHEELS
AND
CASTORS**

162



Choose the
**MATERIAL
AND COLOUR**
of your base

8



high amount of
**ACCESSORIES
FOR INDIVIDUAL
NEEDS**

172



rolltainer®

nestainer®

Steel roll
containers

Laundry
containers

rolldolly®

Cargo systems

Special
applications

Wheels and
castors

Accessories

5

NEW

OPTIMAL COMPACTION
OF EMPTIES 5:1

ROLLTAINER 2-SIDED

WITH INSERTED
SIDE PANELS

5 ROLLTAINER AT ONE STORAGE SPACE

rolltainer®

724 x 815 mm

500 kg

2-sided

plastic

rolltainer® with plug-in system

- plastic base made of high-quality HDPE-material
- plastic base with innovative plug-in system, 4 side panels can be inserted in the middle, another 4 side panels can be placed in between
- 4 plastic bases are placed left and right of the adjusted side panels
- with two swivel and two fixed castors, $\varnothing$ 108 mm, wheel center / tread: polypropylene
- three different usable heights 1350, 1450 and 1650 mm
- side panel made of $\varnothing$ 22 mm round tube, infill made of 12 x 3 mm flat bars and a centered tube $\varnothing$ 16 mm
- surface: galvanized blue Cr 3

rolltainer® 2-sided with plug-in system			
	724 x 815 x 1.530 mm 660 x 815 x 1.340 mm	724 x 815 x 1.630 mm 660 x 815 x 1.440 mm	724 x 815 x 1.830 mm 660 x 815 x 1.640 mm
rolltainer® with plug-in system	KB2A50101350CS01101V	KB2A50101450CS02101V	KB2A50101650CS14101V

6

FEIL rolltainer GmbH | Hangerfeld 8 | 59602 R then | Germany



- fast, systematic compaction of empties
- high work safety due to fixed slots for 4 side panels
- sustainable storage and transportation of empties
- The new base is a 100% compatible with existing components – there is no need for new side panels. Side panels with T-clamp are ideal. Please contact us for detailed advice!




- It is also possible to solely store side panels.
- In comparison to the classic compaction of empties, each storage space can be utilized up to 150% more.



watch the product video

Scan the QR Code and view the assembling.



Optionally, swivel castors with central locking system and / or central directional locking device can be fitted on both sides.


The right base for each requirement

The bases build the basis for our rolltainer®. The range includes different plastic bases, as well as bases made of wood or steel. Plastic bases are available in different colours. In addition, those bases made of plastic can be embossed with lettering and a logo.




- property marking possible
- 100% recyclable
- different RAL colours selectable
- individual dimensions possible through welding technique

- easy to clean
- property marking possible
- 100% recyclable
- also available as a hygienic base with a closed bottom











- stable version
- made of untreated, planed boards
- corners reinforced with galvanized steel edges

- frame made of rectangular tube 40 x 20 mm
- stable tube construction
- galvanized blue Cr 3




Our wide range of colours

The base made of plastic is available in different colours. Please replace the corresponding colour code at the marked position of the item number when ordering. In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.



RANGE OF CASTORS STARTING AT PAGE 162




PLASTIC BASE
IN 5010 GENTIAN BLUE



PLASTIC BASE WITH CLOSED
LOADING PLATFORM



WOODEN BASE



METAL BASE



724 x 815 mm



500 kg



plastic / wood / steel

Base 724 x 815 mm

- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, $\varnothing$ 108 mm, wheel center / tread: polypropylene
- four insertion holes for round tube $\varnothing$ 22 mm ($\varnothing$ 25 mm possible on request)
- optionally strengthened with two or four flat bars

	Base  724 x 815 mm
plastic*	E10A00PE4 5010 OL-001
plastic closed	F15A00PE270460L-001
wood	HRP724810N-001
steel	MRP710800C-001

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



INDIVIDUAL LABELING

of your rolldolly®, rolltainer® and plastic shelf

If you have decided to buy a **rolldolly®**, **rolltainer®** or **intermediate shelves made of plastic**, we can label those components individually for you by using hot stamping. The hot stamping is generally applied to the front sides. Only the rolldolly® additionally can be marked on the long sides. For your lettering you can choose between the colours white, black, red, yellow or blue. The decision whether to take a standard lettering out of our „letter plug-in system“ or taking an individualized lettering with your own font and maybe also your logo, is yours.



ALL BENEFITS AT A GLANCE

- ✓ letters available in three sizes 12 mm, 25 mm (standard size) and 35 mm
- ✓ stamps are made of brass
- ✓ individual stamps with the company logo possible
- ✓ huge range of prefabricated popular elements available, e.g. „property“
- ✓ print area up to 470 x 40 mm possible



The plug-in system consists of capital letters in three different sizes. The lettering can be supplemented with special characters and additions like „property“. We are happy to advise you on the specific options.

If you wish to have a stamp with your own font and / or your logo, we produce a stamp made of brass for you. You provide your lettering / logo as a template for us. The stamp can be used for subsequent orders and will be stored properly for you after using.



With our newly developed laser technology, we are able to laser barcodes and QR codes in all common symbologies onto the roll base and intermediate shelves made of HDPE.

We use modern fibre laser technology for this. This is a high-precision marking and labelling system that uses a very fine laser beam to permanently laser QR codes, barcodes, logos and labels onto the surface of the plastic bases. This happens contactlessly in seconds and without consumables such as ink or labels. With this laser technology, we achieve durable, UV- and chemical-resistant marking of your roll bases, ensuring perfect traceability and quality assurance for your products.



**LETTERS AVAILABLE IN
THREE SIZES:
12 MM, 25 MM AND 35 MM**



**UNIVERSALLY
USABLE**



3-SIDED



2-SIDED

rolltainer®

2-SIDED
WITH PLASTIC SHELF
(AVAILABLE AS ACCESSORIES)

724 x 815 mm

500 kg

2- / 3-sided

plastic

rolltainer® 1350 / 1450 QP

- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, $\varnothing$ 108 mm, wheel center / tread: polypropylene
- side panel made of $\varnothing$ 22 mm round tube, infill made of 12 x 3 mm flat bars and a centered tube $\varnothing$ 16 mm
- back wall made of $\varnothing$ 22 mm round tube and four holes to attach it to the side panels by using plastic clamps
- surface: powder coated according to RAL-colours

	rolltainer® 1350 QP 724 x 815 x 1.530 mm		rolltainer® 1450 QP 724 x 815 x 1.630 mm	
	2-sided 660 x 815 x 1.340 mm	3-sided 660 x 775 x 1.340 mm	2-sided 660 x 815 x 1.440 mm	3-sided 660 x 775 x 1.440 mm
blue	KB2A501013505010S01101	KB3A501013505010S01101	KB2A501014505010S02101	KB3A501014505010S02101
green	KB2A602413506024S01101	KB3A602413506024S01101	KB2A602414506024S02101	KB3A602414506024S02101
red	KB2A300013503000S01101	KB3A300013503000S01101	KB2A300014503000S02101	KB3A300014503000S02101



 724 x 815 mm

 500 kg

 2- / 3- / 4-sided

 plastic / wood / steel

rolltainer® 1350 / 1450 / 1650

- three different usable heights, optionally available in 2-, 3- or 4-sided
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, $\varnothing$ 108 mm, wheel center / tread: polypropylene
- side panels, back wall and front wall made of $\varnothing$ 22 mm round tube, infill made of 12 x 3 mm flat bars
- side panel with horizontal, centered tube $\varnothing$ 16 mm
- surface: galvanized blue, Cr 3


ALL BENEFITS AT A GLANCE



MORE STABILITY THROUGH
CENTERED TUBE



LONG-LASTING DUE TO
GALVANIZED SURFACE



IDEAL CONNECTION BETWEEN
SIDE PANEL AND BASE



T-CLAMP FOR FAST
DISASSEMBLING




rolltainer® 1350 724 x 815 x 1.530 mm			
	2-sided 660 x 815 x 1.340 mm	3-sided 660 x 775 x 1.340 mm	4-sided 660 x 750 x 1.340 mm
plastic*	KB2A 5010 1350CS01101	KB3A 5010 1350CS01101	KB4A 5010 1350CS01101
plastic base with closed loading platform	KB2A70461350CS01101H	KB3A70461350CS01101H	KB4A70461350CS01101H
wood	HB2AN1350CS01101	HB3AN1350CS01101	HB4AN1350CS01101
steel	MB2AC1350CS01101	MB3AC1350CS01101	MB4AC1350CS01101

rolltainer® 1450 724 x 815 x 1.630 mm			
	2-sided 660 x 815 x 1.440 mm	3-sided 660 x 775 x 1.440 mm	4-sided 660 x 750 x 1.440 mm
plastic*	KB2A 5010 1450CS02101	KB3A 5010 1450CS02101	KB4A 5010 1450CS02101
plastic base with closed loading platform	KB2A70461450CS02101H	KB3A70461450CS02101H	KB4A70461450CS02101H
wood	HB2AN1450CS02101	HB3AN1450CS02101	HB4AN1450CS02101
steel	MB2AC1450CS02101	MB3AC1450CS02101	MB4AC1450CS02101

rolltainer® 1650 724 x 815 x 1.830 mm			
	2-sided 660 x 815 x 1.640 mm	3-sided 660 x 775 x 1.640 mm	4-sided 660 x 750 x 1.640 mm
plastic*	KB2A 5010 1650CS14101	KB3A 5010 1650CS14101	KB4A 5010 1650CS14101
plastic base with closed loading platform	KB2A70461650CS14101H	KB3A70461650CS14101H	KB4A70461650CS14101H
wood	HB2AN1650CS14101	HB3AN1650CS14101	HB4AN1650CS14101
steel	MB2AC1650CS14101	MB3AC1650CS14101	MB4AC1650CS14101

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



rolltainer®



724 x 815 x 1.640 mm



500 kg



2- / 3- / 4-sided




plastic / wood / steel

rolltainer® 1460 FV

- front wall optionally available pivotable in one piece or foldable and pivotable
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall and front wall made of ø 22 mm round tube, infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

	rolltainer® 1460 FV 724 x 815 x 1.640 mm			
	2-sided 660 x 815 x 1.450 mm	3-sided 660 x 775 x 1.450 mm	4-sided with front wall foldable and pivotable 660 x 750 x 1.450 mm	4-sided with front wall pivotable in one piece 660 x 750 x 1.450 mm
plastic*	KB2A 5010 1460CS03101	KB3A 5010 1460CS03101	KB4A 5010 1460CS03101	KB4A 5010 1460CS03301
plastic base with closed loading platform	KB2A70461460CS03101H	KB3A70461460CS03101H	KB4A70461460CS03101H	KB4A70461460CS03301H
wood	HB2AN1460CS03101	HB3AN1460CS03101	HB4AN1460CS03101	HB4AN1460CS03301
steel	MB2AC1460CS03101	MB3AC1460CS03101	MB4AC1460CS03101	MB4AC1460CS03301

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



724 x 815 x 1.830 mm



500 kg



2- / 3- / 4-sided




plastic / wood / steel

rolltainer® 1650 FV

- front wall optionally available pivotable in one piece, pivotable in two parts or foldable and pivotable
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall and front wall made of ø 22 mm round tube; infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

rolltainer® 1650 FV 724 x 815 x 1.830 mm					
	2-sided 660 x 815 x 1.640 mm	3-sided 660 x 775 x 1.640 mm	4-sided with foldable and pivo- table front wall 660 x 750 x 1.640 mm	4-sided with front wall pivotable in two pieces 660 x 750 x 1.640 mm	4-sided with front wall pivotable in one piece 660 x 750 x 1.640 mm
plastic*	KB2A 5010 1650CS04101	KB3A 5010 1650CS04101	KB4A 5010 1650CS04101	KB4A 5010 1650CS04201	KB4A 5010 1650CS04301
closed loading platform	KB2A70461650CS04101H	KB3A70461650CS04101H	KB4A70461650CS04101H	KB4A70461650CS04201H	KB4A70461650CS04301H
wood	HB2AN1650CS04101	HB3AN1650CS04101	HB4AN1650CS04101	HB4AN1650CS04201	HB4AN1650CS04301
steel	MB2AC1650CS04101	MB3AC1650CS04101	MB4AC1650CS04101	MB4AC1650CS04201	MB4AC1650CS04301

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



815 x 724 x 1.790 mm	500 kg	3-sided	plastic / wood / steel
----------------------	--------	---------	------------------------

rolltainer® rollshelf 1600

- in contrast to the standard, the structure is open on a long side
- 20° inclination of the horizontal flat bars can be selected to fall forwards or backwards (delivery also possible without inclination)
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel castors and two swivel castors with total brake, ø 108 mm, wheel center / tread: polypropylene
- side panels and back wall made of ø 22 mm round tube; infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

	rolltainer® rollshelf 815 x 724 x 1.790 mm	
	3-sided incl. 3 intermediate shelves with 20° inclination 750 x 680 x 1.600 mm	3-sided incl. 3 intermediate shelves without inclination 750 x 680 x 1.600 mm
plastic*	KRR3A50101600C104	KRR3A50101600C204
wood	HRR3AN1600C104	HRR3AN1600C204
steel	MRR3AC1600C104	MRR3AC1600C204
additional shelf	ZBD810RRMRC01	

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A50101350CS01101“, „5010“ stands for gentian blue.).



COMFORT THROUGH SAFETY:

tainergrip®

A short moment of abstraction and the hand gets caught between two roll cages. A painful experience which often results in absence of personnel.

From now on these incidents belong to the past.

The tainergrip® is an ergonomically shaped handgrip made of special



plastic, created to prevent hand injuries. The safety handle can be attached to the rolltainer® quickly and easily without using any tools. The ideal protection for all sectors in which rolltainer® play a decisive role.

TECHNICAL HIGHLIGHTS

dimension:
total ca. 215 x 100 x 80 mm
grip ca. 150 x 75 x ø 18 mm

basic holder for round tube: ø 22 mm
and square tube: 22 x 22 mm

tainergrip orange for flat bars:
12 x 3 and 15 x 3 mm
tainergrip red for tube:
ø 16 mm

RECOMMENDED THROUGH
THE **EMPLOYER'S LIABILITY
INSURANCE ASSOCIATION**



Further
information on
tainergrip®
available on
PAGE 180

high quality through
strengthened special plastic

innovative prevention of accidents

comfortable and easy handling
through ergonomic design

innovative system for more
safety at work

ergonomically shaped and
safe in use







3-SIDED
WITH STEEL BASE



4-SIDED
WITH WOODEN BASE



5-SIDED
WITH PLASTIC BASE

 724 x 815 mm

 500 kg

 3- / 4- / 5-sided

 plastic / wood / steel

rolltainer® ADB 1020

- convenient and space-saving height
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of ø 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

rolltainer® ADB 1020			
	 724 x 815 x 1.210 mm		 724 x 815 x 1.220 mm
	3-sided  660 x 775 x 1.020 mm	4-sided  660 x 750 x 1.020 mm	5-sided  660 x 750 x 995 mm
plastic*	KAD3A 5010 1020COZ101	KAD4A 5010 1020COZ101	KAD5A 5010 1020COZ101
plastic base with closed loading platform	KAD3A70461020COZ101H	KAD4A70461020COZ101H	KAD5A70461020COZ101H
wood	HAD3AN1020COZ101	HAD4AN1020COZ101	HAD5AN1020COZ101
steel	MAD3AC1020COZ101	MAD4AC1020COZ101	MAD5AC1020COZ101

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).

5-SIDED
WITH WOODEN BASE4-SIDED
WITH STEEL BASE

rolltainer®

3-SIDED
WITH PLASTIC BASE

724 x 815 mm



500 kg



3- / 4- / 5-sided



plastic / wood / steel

rolltainer® ADB 1350

- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of ø 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

rolltainer® ADB 1350			
	724 x 815 x 1.540 mm		724 x 815 x 1.550 mm
	3-sided 660 x 775 x 1.350 mm	4-sided 660 x 750 x 1.350 mm	5-sided 660 x 750 x 1.325 mm
plastic*	KAD3A 5010 1350COZ101	KAD4A 5010 1350COZ101	KAD5A 5010 1350COZ101
plastic base with closed loading platform	KAD3A70461350COZ101H	KAD4A70461350COZ101H	KAD5A70461350COZ101H
wood	HAD3AN1350COZ101	HAD4AN1350COZ101	HAD5AN1350COZ101
steel	MAD3AC1350COZ101	MAD4AC1350COZ101	MAD5AC1350COZ101

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



724 x 815 mm	500 kg	3- / 4- / 5-sided	plastic / wood / steel
--------------	--------	-------------------	------------------------

rolltainer® ADB 1600

- large storage space for your products
- flexible arrangement of the intermediate shelves possible every 50 mm
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of ø 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

rolltainer® ADB 1600			
724 x 815 x 1.800 mm			
	3-sided 660 x 775 x 1.610 mm	4-sided 660 x 750 x 1.610 mm	5-sided 660 x 750 x 1.585 mm
plastic*	KAD3A 5010 1600COZ101	KAD4A 5010 1600COZ101	KAD5A 5010 1600COZ101
plastic base with closed loading platform	KAD3A70461600COZ101H	KAD4A70461600COZ101H	KAD5A70461600COZ101H
wood	HAD3AN1600COZ101	HAD4AN1600COZ101	HAD5AN1600COZ101
steel	MAD3AC1600COZ101	MAD4AC1600COZ101	MAD5AC1600COZ101

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



5-SIDED WITH
FOLDABLE INTERMEDIATE SHELF5-SIDED
WITH A TWO-SECTION DOOR

rolltainer®

5-SIDED WITH A TWO-SECTION DOOR

724 x 815 mm

500 kg

5-sided

plastic / wood / steel

rolltainer® ADB 1600 with foldable intermediate shelf

- foldable intermediate shelf insertable approx. in the middle of the **rolltainer®**
- optionally available with a two-section or a single-section door

	rolltainer® ADB 1600 724 x 815 x 1.800 mm	
	5-sided with a single-section door and a foldable intermediate shelf 660 x 750 x 1.585 mm	5-sided with a two-section door and a foldable intermediate shelf 660 x 750 x 1.585 mm
plastic*	KAD5A 5010 1600C1Z101	KAD5A 5010 1600C1Z201
plastic base with closed loading platform	KAD5A70461600C1Z101H	KAD5A70461600C1Z201H
wood	HAD5AN1600C1Z101	HAD5AN1600C1Z201
steel	MAD5AC1600C1Z101	MAD5AC1600C1Z201
wire shelf loose version	ZBD725ADLC004	
plastic shelf loose version	F73F05PEF37046	

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



 724 x 815 mm
  500 kg
  4-sided
  plastic / wood / steel

rolltainer® ADB 1600 „the disposer“

- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel castors with total brake and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall and two single doors made of ø 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

	rolltainer® ADB 1600 without intermediate shelf  724 x 815 x 1.800 mm  660 x 750 x 1.585 mm	rolltainer® ADB 1600 with intermediate shelf  724 x 815 x 1.800 mm  660 x 750 x 1.585 mm
plastic*	KAD4A 5010 1600COZ602	KAD4A 5010 1600C1Z602
plastic base with closed loading platform	KAD4A 5010 1600COZ602	KAD4A 5010 1600C1Z602
wood	HAD4AN1600COZ602	HAD4AN1600C1Z602
steel	MAD4AC1600COZ602	MAD4AC1600C1Z602

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



rolltainer® ADB 1410 5-SIDED
SUITABLE FOR E1/E2-BOXES



rolltainer® ADB 1460 4-SIDED

rolltainer®

ADB 1600 OPAQUE SOLUTION WITH AND
WITHOUT INTERMEDIATE SHELF

724 x 815 mm

500 kg

5-sided

plastic / wood / steel

rolltainer® ADB special applications

- special container in different usable heights and designs for various applications, like waste disposal and visual cover transports
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, $\varnothing$ 108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of $\varnothing$ 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

	rolltainer® with visual cover 5-sided 724 x 815 x 1.800 mm 660 x 750 x 1.585 mm	rolltainer® with visual cover 5-sided with shelf 724 x 815 x 1.800 mm 660 x 750 x 1.585 mm
plastic*	KAD5A 5010 1600COZ901	KAD5A 5010 1600C1Z901
	rolltainer® ADB 1410 5-sided with single-section door 724 x 850 x 1.590 mm 660 x 815 x 1.375 mm	rolltainer® ADB 1460 4-sided with foldable and pivotable door 724 x 815 x 1.640 mm 660 x 750 x 1.450 mm
plastic*	KAD5A 5010 1410COZ301	KAD4A 5010 1460COZ302
plastic base with closed loading platform	KAD5A70461410COZ301H	KAD4A70461460COZ302H
wood	HAD5AN1410COZ301	HAD4AN1460COZ302
steel	MAD5AC1410COZ301	MAD4AC1460COZ302

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).

IDEAL FOR
EURONORM BOXES

3-SIDED WITH ADDITIONAL
INTERMEDIATE SHELF
(AVAILABLE AS ACCESSORIES)

3-SIDED

2-SIDED

rolltainer®

682 x 815 mm

500 kg

2- / 3-sided

plastic

rolltainer® 682 1460 / 1650

- ideal transport solution for Euronorm boxes, through the internal dimension of 620 x 810 mm
- in the case of the 3-sided structure, the back wall is mounted on the outside, so that the interior offers full space for Euronorm boxes
- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels and back wall made of ø 22 mm round tube, infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

	rolltainer® 682 1460		rolltainer® 682 1650	
	2-sided 682 x 815 x 1.640 mm 620 x 815 x 1.450 mm	3-sided 682 x 835 x 1.640 mm 620 x 815 x 1.450 mm	2-sided 682 x 815 x 1.830 mm 620 x 815 x 1.640 mm	3-sided 682 x 835 x 1.830 mm 620 x 815 x 1.640 mm
plastic gentian blue (similar to RAL 5010)	KB2B50101460CS03101	KB3B50101460CS03101	KB2B50101650CS04101	KB3B50101650CS04101
plastic flame red (similar to RAL 3000)	KB2B30001460CS03101	KB3B30001460CS03101	KB2B30001650CS04101	KB3B30001650CS04101
plastic base gentian blue	E10B10PE45010OL-001			
plastic base flame red	E10B10PE43000OL-001			



rolltainer® 682 1350



rolltainer® 682 1350



682 x 815 x 1.608 mm



500 kg



2-sided



plastic

rolltainer® 682 1350

- each side panel with three support rails made of flat steel, especially for Euronorm boxes
- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, $\varnothing$ 125 mm, wheel center / tread: polyamide / polyurethane
- side panels made of $\varnothing$ 22 mm round tube, connection of the side panels made of flat steel
- surface: galvanized blue, Cr 3



rolltainer® 682 1350

620 x 815 x 1320 mm

plastic gentian blue
(similar to RAL 5010)

KB3B50101350CS0111

plastic flame red
(similar to RAL 3000)

KB3B30001350CS0111



**PERFECT
THEFT PROTECTION**

Further intermediate shelves available as accessories:





3-SIDED



4-SIDED



682 x 870 x 1.800 mm

500 kg


3- / 4- / 5-sided

plastic

rolltainer® 682 ADB 1600

- an anti-theft container on a 682 mm wide plastic base provides maximum security for your goods and is optimized for Euronorm boxes
- flexible arrangement of the intermediate shelves possible every 50 mm
- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of ø 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

	rolltainer® 682 ADB 1600  682 x 870 x 1.800 mm		
	 3-sided 620 x 825 x 1.610 mm	 4-sided 620 x 825 x 1.610 mm	 5-sided 620 x 825 x 1.585 mm
plastic gentian blue (similar to RAL 5010)	KAD3B50101600COZ101	KAD4B50101600COZ101	KAD5B50101600COZ101
plastic flame red (similar to RAL 3000)	KAD3B30001600COZ101	KAD4B30001600COZ101	KAD5B30001600COZ101
intermediate shelf	ZBD682ADLC008		



rolltainer®

4-SIDED WITH FOLDABLE FRONT WALL



682 x 815 x 1.690 mm



500 kg



2- / 3- / 4-sided



plastic

rolltainer® 682 1500 FH

- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- easy assembling of front and back wall
- side panel made of ø 19 mm round tube
- surface: hot-dipped (for ideal corrosion protection)

SIDE PANEL FOR EASY,
TOOL-FREE ASSEMBLY

rolltainer® 682 1500 FH 682 x 815 x 1.690 mm			
	2-sided 620 x 815 x 1.495 mm	3-sided 620 x 770 x 1.495 mm	4-sided 620 x 735 x 1.495 mm
plastic*	KB2B 5010 1500HDS00101	KB3B 5010 1500HDS00101	KB4B 5010 1500HDS00101
rolltainer® 1500 675 x 815 x 1.690 mm 2-sided 610 x 815 x 1.440 mm			
plastic*	KB2D50101500HDS00101		


* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).

NEW

IDEAL FOR
EURONORM BOXES

rolltainer®

3-SIDED
WITH EURONORM BOXES



E16 PLASTIC BASE



3-SIDED,
SIDE PANELS GALVANIZED BLUE



675 x 815 mm



500 kg



2- / 3-sided



plastic

rolltainer® 682 1460 / 1650

- ideal transport solution for Euronorm boxes
- plastic base made of high-quality HDPE-material
- basic model with 2 side panels, different panel versions available
- in the case of the 3-sided structure, the back wall is mounted on the outside, so that the interior offers full space for Euronorm boxes
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels made of ø 22 mm round tube, infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

	rolltainer® 675 1460		rolltainer® 675 1650	
	2-sided 675 x 815 x 1.640 mm 610 x 815 x 1.450 mm	3-sided 675 x 835 x 1.640 mm 610 x 815 x 1.450 mm	2-sided 675 x 815 x 1.830 mm 610 x 815 x 1.640 mm	3-sided 675 x 835 x 1.830 mm 610 x 815 x 1.640 mm
plastic gentian blue (similar RAL 5010)	KB2D50101460CS03101	KB3D50101460CS03101	KB2D50101650CS04101	KB3D50101650CS04101
plastic flame red (similar RAL 3000)	KB2D30001460CS03101	KB3D30001460CS03101	KB2D30001650CS04101	KB3D30001650CS04101
plastic base gentian blue	E16D00PE45010OL-001			
plastic base flame red	E16D00PE43000OL-001			



HYGIENIC PLASTIC BASE

2-SIDED WITH SHELF
(AVAILABLE AS ACCESSORIES)

rolltainer®

3-SIDED WITH
INTERMEDIATE SHELF
(AVAILABLE AS ACCESSORIES)

724 x 815 x 1.783 mm



500 kg



2- / 3-sided



plastic

rolltainer® hygienic stainless steel

- plastic base made of high-quality HDPE-material, top and bottom closed and welded, except for the stacking hole, colour: telegrey similar to RAL 7046
- with two swivel and two fixed castors, $\varnothing$ 125 mm, wheel center / tread: polyamide / polyurethane, housing and roller bearing of the castors are made of stainless steel
- side panel made of $\varnothing$ 22 mm round tube, infill made of $\varnothing$ 6 mm wire rods
- material: stainless steel „V2A“

rolltainer® hygienic stainless steel  724 x 815 x 1.750 mm		
	2-sided  660 x 815 x 1.520 mm	3-sided  660 x 775 x 1.520 mm
rolltainer® hygiene	KB2A70461530A2S241I3	KB3A70461530A2S241I3
hygienic plastic base	F12A00PE07046OL-0I3	
hygienic intermediate shelf	F71A02PEF37046E	F71A03PEF37046E



rolltainer®

2-SIDED WITH BASKET AND
SEPARATION GRIDS



LOGISTIC ROLLBOX



724 x 815 mm



500 kg



2- / 5-sided



plastic

rolltainer® Special

rolltainer® plastic 724 x 815 x 1.655 mm

- incl. a stabilization frame ø 22 mm
- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, ø 125 mm, wheel center / tread: polyamide / polyurethane
- side panel made of ø 22 mm round tube with mesh 100 x 50 x 4 mm, each with an angulated handle made of round tube
- surface: galvanized blue, Cr 3

logistic rollbox 1589 KU grey

- rolltainer clad with twin-wall sheets
- plastic base made of high-quality HDPE-material, pebble grey similar to RAL 7032
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene,
- side panels, back wall, roof and lockable door made of ø 22 mm round tube
- surface: powder coated gentian blue similar to RAL 5010

	rolltainer® special
rolltainer® plastic* 724 x 815 x 1.655 mm	KB3A 5010 1450CS57111
basket ME 724 x 815 mm	DK720C01
separation grid ME for basket ME	TG720C01
logistic rollbox 1589 KU 724 x 815 x 1.770 mm, 5-sided	KB5A703215895002101

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



BASKET WITH SEPARATION GRID



WITH FOLDABLE
PUSH HANDLE

FOLDABLE GALVANIZED PUSH HANDLE



FOLDED PUSH HANDLE



WOODEN BASE WITH
GALVANIZED PUSH HANDLE



STEEL BASE WITH
GALVANIZED PUSH HANDLE



724 x 815 mm



300 kg / 500 kg



plastic / wood / steel

Base with push handle

- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- load capacity: 300 kg / 500 kg
- push handle made of $\varnothing$ 22 mm steel tube
- height of the handle ca. 1.000 mm
- protrusion of the push handle ca. 374 mm
- foldable push handle, galvanized blue, Cr 3



	base with push handle  660 x 815 mm	
	$\varnothing$ 100 TPR castors (2 swivel and 2 fixed castors) load capacity: 300 kg	$\varnothing$ 125 PU castors (2 swivel and 2 fixed castors) load capacity: 500 kg
plastic* with galvanized push handle	KB1A 5010 815CB00125	KB1A 5010 815CB001G5
wood with galvanized push handle	HB1AN815CB00125	HB1AN815CB001G5
steel with galvanized push handle	MB1AC815CB00125	MB1AC815CB001G5

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



PLASTIC BASE 780



PLASTIC BASE 695



PLASTIC BASE 780

 500 kg

 plastic

Plastic base special

- three additional sizes for your demand
- plastic base made of high-quality HDPE-material
- panels and accessories for these bases must be requested separately

plastic base special 780 x 790 mm

- strengthened with four flat bars
- with two swivel and two fixed castors, $\varnothing$ 125 mm, big plate (hole pattern 105 x 80 mm), wheel center / tread: polypropylene

plastic base special 695 x 815 mm

- strengthened with four flat bars
- with two swivel and two fixed castors, $\varnothing$ 100 mm, big plate (hole pattern 105 x 80 mm), wheel center / tread: polyamide

	plastic base special
plastic base 780 x 790 mm	F13E00PE45012FE-0E1
plastic base 695 x 815 mm	F11C00PE43000OL-0K4

NEW



rolltainer®

4-SIDED WITH
2-SECTION FRONT WALL,
INDIVIDUALLY PIVOTABLE



2-SECTION FRONT WALL,
INDIVIDUALLY PIVOTABLE



CABINET BOLT



1.200 x 780 x 1.805 mm



500 kg



4-sided



plastic

rolltainer® 1590 KU

- plastic base made of high-quality HDPE material
- with two swivel and two fixed castors, $\varnothing$ 108 mm, wheel center / tread: polypropylene
- side panels, back wall and front wall made of $\varnothing$ 22 mm round tube with mesh 80 x 80 x 5 mm
- surface: galvanized blue, Cr 3

rolltainer® 1590 KU | 1.200 x 780 x 1.805 mm

4-sided




1.126 x 718 x 1.590 mm

rolltainer® 1490 KU

KAD4C70461590COZ501

CORNER PROTECTION MADE OF STEEL

Our revolutionary corner protection for bases not only reduces the cases of damage by up to 90%, but also makes it possible to still use the rolltainer® even with a broken corner. The corner protection is made of steel and is attached to the base through four screws. Even with a heavy load the handling is still easy, as the forces apportion among the steel corner protections. There is no longer pressure on to the plastic corners



quick and easy
stacking of the base

still usable with a
broken corner


better handling even
with heavy loads

RAL colours at buyer's option

available for the bases with
682 mm and 724 mm width

up to 90% less cases
of damage

hot stamping
of the front side



NEW



ROLLTAINER WITH
DOUBLE CLAMP



SIDE PANEL WITH TWO
CLAMPING BRACKETS



ROLL BASE 724

724 x 815 mm

500 kg

4-sided

plastic

rolltainer® with double clamp

Optionally, the plastic base can be manufactured with two additional clamping areas. This allows for the use of side panels with one or two clamping brackets. Side panels with two clamping brackets provide a stronger connection to the roll base on its long side.

The plastic roll base and side panels are manufactured order-related. Various side panels with powder coating or galvanization are available. The plastic roll base can be manufactured in the colour of your choice and with hot stamping. It is also possible to fit the four corners with metal corner protectors.

We would be happy to advise you on the available options.

rolltainer®

nestainer®

Steel roll
containers

Laundry
containers

rolldolly®

Cargo systems

Special
applications

Wheels and
castors

Accessories

Accessories shelves



Plastic intermediate shelf for rolltainer® 724 x 815 mm

- made of high-quality HDPE-material
- strengthened with three flat bars made of galvanized steel
- load capacity: 150 kg

2-sided | 710 x 810 mm

F70A02PEF35010

2- and 3-sided | 710 x 778 mm

E70A23PEF35010

4-sided | 710 x 735 mm

E70A04PEF35010



Plastic intermediate shelf for rolltainer® 682 x 815 mm

- made of high-quality HDPE-material
- strengthened with three flat bars made of galvanized steel
- load capacity: 150 kg

2-sided | 670 x 810 mm

E70B02PEF35010

3-sided | 670 x 770 mm

E70B03PEF35010

4-sided | 670 x 730 mm

E70B04PEF35010




Plastic intermediate shelf half length for rolltainer® 724 x 815 mm

- made of high-quality HDPE-material
- strengthened with two flat bars made of galvanized steel
- load capacity: 100 kg

2-/3-/4-sided | 710 x 380 mm

E70H23PEF25010



Intermediate shelf ADB closed, 724 x 815 mm

- plastic shelf with closed loading platform made of high-quality HDPE-material, telegrey similar to RAL 7046
- strengthened with three flat bars steel made of galvanized steel
- load capacity: 150 kg

2-/3-/4-sided | 705 x 728 mm | telegrey

F73F05PEF37046

* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „F70A02PEF35010“, „5010“ stands for gentian blue.).



Closed plastic intermediate shelf for rolltainer® 724 x 815 mm

- with closed loading platform made of high-quality HDPE-material
- telegrey similar to RAL 7046
- strengthened with three flat bars made of galvanized steel
- load capacity: 150 kg

2-sided 710 x 812 mm telegrey	F71A02PEF37046
3-sided 710 x 762 mm telegrey	F71A03PEF37046



Hygienic intermediate shelf KU for rolltainer® 724 x 815 mm

- with closed loading platform made of high-quality HDPE-material
- telegrey similar to RAL 7046
- strengthened with three flat bars made of **stainless steel**
- load capacity: 150 kg

2-sided 710 x 812 mm telegrey	F71A02PEF37046E
3-sided 710 x 762 mm telegrey	F71A03PEF37046E



Wire mesh intermediate shelf for rolltainer®

- wire mesh shelf strengthened with flat bars
- without anti-slip edge
- variably attachable
- surface: galvanized blue, Cr 3

2-/3-/4-sided 700 x 705 mm	ZBD725ADLC004
2-/3-/4-sided 680 x 810 mm	ZBD682ADLC008



Wooden intermediate shelf for rolltainer® 724 x 815 mm

- strengthened with two pipes made of square tube 20 x 20 mm
- load capacity: 150 kg
- loading platform made of untreated plywood panel

2-/3-/4-sided 700 x 720 mm	ZBH660710F2
------------------------------	-------------

rolltainer® WITH COMFORT SYSTEM

Our rolltainer® with comfort system is characterized by the innovative quick-coupling-system of the side panels and the easy handling: With the counterpressure during assembly, the side panels trigger the mechanism and are immediately ready for use.


The mechanism can easily be loosened with one foot and the side panels can be removed. The rolltainer® with comfort system offers the user a high level of flexibility due to the short time required for dismantling.

TECHNICAL HIGHLIGHTS

- plastic base made of high impact strength PP-material, signal grey similar to RAL 7004
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polyamide
- two side panels made of ø 22 mm round tube, infill made of four vertical flat bars 12 x 3 mm and four horizontal round tubes ø 16 mm
- surface: galvanized blue, Cr 3



2-SIDED WITH
TWO INTERMEDIATE SHELVES





FAST ASSEMBLING
THROUGH CLICK-COMFORT
SYSTEM.

The insertable intermediate shelves do not only permit a flexible, horizontal division of the rolltainer, but also a conversion to a universal container with back wall. This greatly increases the field of application of our rolltainer.

rolltainer® with comfort system	
plastic	KB2A70041725CS09156
intermediate shelf	W70A02PPF57004

UP TO 22 INTERMEDIATE
SHELVES FIT INTO
ONE ROLLTAINER®.



THE INTERMEDIATE
SHELVES CAN BE USED
AS BACK WALL.

In addition, the rolltainer® with comfort system offers a lot of space: 16 side panels or 22 intermediate shelves can easily be stowed away into one rolltainer® to save space. A quick volume reduction (76 %) is achieved thanks to the integrated slots for the castors in the base with which the bases can be stacked.

FOR MORE INFORMATION
WATCH OUR
PRODUCT VIDEO



TECHNICAL DATA

 720 x 810 x 1.840 mm

 660 x 810 x 1.655 mm

 2-sided  500 kg  plastic



UP TO 16 SIDE PANELS



UP TO 19 BASES



4 IN 1 ROLLTAINER® –
QUICK VOLUME REDUCTION



SUSTAINABILITY IS A TOP PRIORITY

What is sustainable and really good for our environment? For us, it starts already with the manufacturing of high-quality new products. A durable product stands the test of time in practice and is going to be a valuable resource in the recycling process. We already have several years experience in re-

cycling of plastic bases. From the beginning we only used old products manufactured by our ourselves. The results were highly convincing so that we expanded the process onto third-party products, by now.




STEEL

The flat bars used for strengthening the bases are dismantled. Galvanized steel can be recycled, so that the amount of recycled material is up to 70 %.

PLASTIC BASES

From dismantled bases we gain granules which we use for the production of new bases. With this process we can save between 2,4 kg and 4,2 kg CO₂ depending on the base.



CASTORS

Castors of FEIL have, depending on the stress, a service life of up to 10 years. Based on defined condition criteria, we check if dismantled castors can be reused.



**»What we do today,
will determine
what the world
looks like tomorrow.«**

Marie of Ebner-Eschenbach

FOR THIS WE TAKE THE FOLLOWING STEPS:

- collection of the bases sorted out by the customer (usually including the castors)
- transfer to the factory
- disassembly and at the same time checking and assorting of the castors and flat bars
- plastic bases are shredded, afterwards the coarse material is elaborately cleaned and re-granulated
- the re-granulated plastic is used in the production process of bases, intermediate shelves and rolldollies
- The new products made of re-granule can be directly redelivered to the initial customer. In this case, the former used castors and flat bars can be reused by an amount of up to 70%.
- Each customer has the chance to buy specially marked products made of re-granule from us. If we use a re-granule out of different colours, the new produced products are black.
- With each recycled base we can save between 2,4 kg and 4,2 kg CO².



rolltainer® BASIC


- **dimensions 2-sided up to 500 kg load capacity:**
724 x 815 x 1.530 mm / interior: 664 x 815 x 1.340 mm
- **dimensions 3-sided up to 500 kg load capacity:**
724 x 827 x 1.530 mm / interior: 664 x 803 x 1.340 mm
- **dimensions 4-sided with a single-section door up to 500 kg load capacity:**
724 x 845 x 1.530 mm / interior: 664 x 803 x 1.340 mm
- **dimensions 4-sided with a two-section door up to 500 kg load capacity:**
724 x 845 x 1.530 mm / interior: 664 x 801 x 1.340 mm
- plastic base made of recycled material
- with two swivel and two fixed castors ø 108 mm, wheel center / tread: polypropylene
- side panel, back wall and door made of ø 20 x 1.5 mm all around tube frame, flat bar 12 x 3 mm
- surface: galvanized blue, Cr 3

2-sided	KB2A90051350CS0C801R
3-sided	KB3A90051350CS0C801R
4-sided with single-section door	KB4A90051350CS0C901R
4-sided with two-section door	KB4A90051350CS0C801R




IDEAL FOR
EURONORM BOXES

WITH FOLDABLE
PUSH HANDLE



- ideal for Euronorm boxes (also 4-sided)
- low self-weight
- light version
- parcel shipment possible



Intermediate shelf

- **2- / 3- / 4-sided** 710 x 778 mm
- made of recycled material
- strengthened with three flat bars
- load capacity: 150 kg

intermediate shelf
loose version

E70A23RCF39005

Base BASIC

- **base as transportroller up to 500 kg load capacity:**
724 x 815 x 192 mm
- plastic base made of recycled material
- with two swivel and two fixed castors ø 108 mm,
wheel center / tread: polypropylene
- **base with foldable push handle up to 500 kg load capacity:**
724 x 815 x 192 mm / interior: 660 x 815 mm
- plastic base made of recycled material
- with two swivel and two fixed castors ø 108 mm,
wheel center / tread: polypropylene

plastic base as transportroller

E10A00RC49005OL-001

plastic base with push handle


KB1A9005815CB00101R



rolltainer® ADB BASIC


- **dimensions 3-sided up to 500 kg load capacity:**
724 x 815 x 1.800 mm / interior: 660 x 775 x 1.610 mm
- **dimensions 4-sided up to 500 kg load capacity:**
724 x 815 x 1.800 mm / interior: 660 x 750 x 1.610 mm
- **dimensions 5-sided anti-theft container up to 500 kg load capacity:**
724 x 815 x 1.810 mm / interior: 660 x 750 x 1.585 mm
- large storage space for your products
- flexible arrangement of the intermediate shelves possible every 50 mm
- plastic base made of recycled material
- with two swivel and two fixed castors ø 108 mm, wheel center / tread: polypropylene
- side panel, back wall, door and roof made of ø 22 mm round tube with infill 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

3-sided	KAD3A90051600COZ101RC
4-sided	KAD4A90051600COZ101RC
5-sided	KAD5A90051600COZ101RC
5-sided with fixed intermediate shelf	KAD5A90051600C1Z101RC



intermediate
shelves
variable
insertable

- stable version through $\varnothing$ 22 mm round tube
- lockable – suitable for theft protection
- through the 50 x 50 mm mesh the intermediate shelves are variably insertable



Intermediate shelf

- **2- / 3- / 4-sided** 700 x 705 mm
- wire mesh shelf strengthened with flat bars
- without anti-slip edge
- variable attachable
- surface: galvanized blue, Cr 3
- load capacity: 150 kg

intermediate shelf loose
version

ZBD725ADLC000

PARCEL SHIPMENT POSSIBLE

Due to the low self-weight a rolltainer® BASIC can be delivered as a parcel.



**Want to see more
BASICLine products?**

You can find the matching rolldolly® on page 125.