

Steel roll containers



For further information about
steel roll containers
please visit our website
www.feil.eu




Steel roll containers

The steel roll containers are available in different dimensions and designs. In combination with various options there are almost no limits to the applications.

OUR TOUGH
ONES
for your
NEEDS



Add further
INTERMEDIATE
SHELVES
according to
your wish



numerous
ACCESSORIES
for individual
needs

172



5-SIDED
WITH ONE DOOR
AND ROOF MADE OF STEEL



3-SIDED
INCL. FOUR INTERMEDIATE
SHELVES WITH UPSTAND



4-SIDED
INCL. FOUR INTERMEDIATE
SHELVES WITHOUT UPSTAND



500 x 680 x 1.860 mm



300 kg



3- / 4- / 5-sided



steel

Steel roll container 1665, 460 x 640 mm

- base made of rectangular tube 40 x 20 mm
- with two swivel and two swivel castors with total brake, $\varnothing$ 100 mm, wheel center / tread: polypropylene / thermoplastic rubber
- side panels, back panel and roof made of square tube 20 mm with mesh 50 x 50 x 4 mm
- intermediate shelves optionally available with or without 100 mm upstand
- surface: galvanized blue, Cr 3

steel roll container 1665, 460 x 640 mm  500 x 680 x 1.855 mm			
	 3-sided 415 x 615 x 1.665 mm	 4-sided 415 x 615 x 1.665 mm	 5-sided 415 x 615 x 1.645 mm
steel roll container without intermediate shelves	S3460640FC057	S4460640FC057	S5460640FC057
steel roll container incl. four intermediate shelves without upstand	S3460640FC4Z057		
steel roll container incl. four intermediate shelves with upstand	S3460640FC4Z157		
intermediate steel shelf, loose version		ZD460ORKFC001	
intermediate steel shelf with upstand, loose version		ZD460MRKFC001	



3-SIDED
INCL. FOUR INTERMEDIATE SHELVES
WITH 100 MM UPSTAND



2-SIDED
INCL. FOUR INTERMEDIATE
SHELVES WITH 20 MM UPSTAND



2-SIDED
INCL. THREE WIRE BASKETS
WITH 100 MM UPSTAND



610 x 610 mm



500 kg



2- / 3-sided



steel

Steel roll container 1490, 600 x 600 mm


- base made of rectangular tube 40 x 20 mm
- 2-sided steel roll container with an additional crossbar made of square tube for stabilization
- with two swivel and two swivel castors with total brake, $\varnothing$ 100 mm, wheel center / tread: polyamide / elastic
- side panels made of square tube 20 mm with mesh 100 x 50 x 4 mm
- intermediate shelves optionally available with 20 mm or 100 mm upstand
- wire basket for 2-sided container available with 100 mm upstand
- surface: galvanized blue, Cr 3

steel roll container 1490, 600 x 600 mm

	2-sided	3-sided
	610 x 610 x 1.675 mm 550 x 600 x 1.490 mm	610 x 610 x 1.655 mm 550 x 580 x 1.490 mm
steel roll container without intermediate shelf	S2600600FC058	S3600600FC058
steel roll container incl. four intermediate shelves with 20 mm upstand	S2600600FC4Z058	S3600600FC4Z058
steel roll container incl. four intermediate shelves with 100 mm upstand	S2600600FC4Z158	S3600600FC4Z158
steel intermediate shelf with 20 mm upstand	ZD600MRKFC001	
steel intermediate shelf with 100 mm upstand	ZD600MRKFC002	
wire basket for 2-sided container with 100 mm upstand	ZD600MRKFC003	-



5-SIDED WITH TWO DOORS
AND TWO HORIZONTAL WIRE MESH
INTERMEDIATE SHELVES WITH 20 MM UPSTAND



3-SIDED INCL.
TWO INCLINABLE WIRE MESH
INTERMEDIATE SHELVES



4-SIDED WITH FOLDABLE
AND PIVOTABLE DOOR



800 x 1.200 mm



600 kg



2- / 3- / 4- / 5-sided




steel


Steel roll container 1600, 800 x 1.200 mm

- base made of rectangular tube 40 x 20 mm
- with two swivel and two swivel castors with total brake, $\varnothing$ 125 mm, wheel center / tread: polyamide / elastic
- all components made of round tube $\varnothing$ 22 mm with mesh 50 x 50 x 4 mm
- optionally available with lockable double wing door or foldable and pivotable door
- surface: galvanized blue, Cr 3

ALL BENEFITS AT A GLANCE



INTERMEDIATE SHELVES WITH
OR WITHOUT UPSTAND



HORIZONTAL OR INCLINABLE
INTERMEDIATE SHELVES



OPTIONALLY AVAILABLE WITH
DOUBLE WING DOOR....



...OR FOLDABLE AND PIVOTABLE
DOOR.



4-SIDED INCL. TWO INCLINABLE
WIRE MESH INTERMEDIATE SHELVES



3-SIDED



STEEL BASE



800 x 1.200 mm



500 kg



2- / 3- / 4- / 5-sided



steel

rolltainer®

nestainer®

Steel roll
containers

Laundry
containers

rolldolly®

Cargo systems

Special
applications

Wheels and
castors

Accessories

steel roll container 1600, 800 x 1.200 mm

800 x 1.200 x 1.820 mm

	2-sided 765 x 1.145 x 1.620 mm	3-sided 765 x 1.145 x 1.620 mm	4-sided foldable / pivotable door 740 x 1.145 x 1.620 mm	4-sided double wing door 740 x 1.145 x 1.620 mm	5-sided double wing door 740 x 1.145 x 1.595 mm
steel roll container	S28001200FC053	S38001200FC053	S48001200FC053	S48001200FC153	S58001200FC053
intermediate shelf without upstand	ZD1200ORKFC001				
intermediate shelf 20 mm upstand insertable	ZD1200MRKFC001				
intermediate shelf 20 mm upstand inclinable insertable	ZD1200SRKFC001				
steel base	S08001200FC053				



950 x 1.350 mm

800 kg

3- / 4- / 5-sided

steel

Steel roll container 1600, 950 x 1.350 mm

- base made of rectangular tube 50 x 20 mm
- with two swivel and two swivel castors with total brake, ø 125 mm, wheel center / tread: aluminium / elastic
- side panels, split back panel, lockable double wing door and roof made of round tube ø 22 mm with mesh 50 x 50 x 4 mm
- optionally available: forklift entry lugs for a secure transport of the container with a forklift (Art.-Nr.: MKUF18090C)
- surface: galvanized blue, Cr 3

steel roll container 1600, 950 x 1.350 mm			
	950 x 1.350 x 1.820 mm		950 x 1.350 x 1.825 mm
	3-sided 920 x 1.295 x 1.620 mm	4-sided 885 x 1.295 x 1.620 mm	5-sided 885 x 1.295 x 1.595 mm
steel roll container	S39501350FC059	S49501350FC159	S59501350FC059
wire mesh intermediate shelf	ZD1350ORKFC001		
steel base	S09501350FC059		



3-SIDED
INCL. TWO INTERMEDIATE SHELVES



5-SIDED
INCL. ONE INTERMEDIATE SHELF



FORKLIFT ENTRY LUGS
AVAILABLE AS ACCESSORIES

800 x 1.600 mm

500 kg

3- / 4- / 5-sided

steel

Steel roll container 1600, 800 x 1.600 mm

- base made of rectangular tube 40 x 20 mm
- with two swivel and two swivel castors with total brake, ø 125 mm, wheel center / tread: polyamide / elastic
- side panels, split back panel, lockable double wing door and roof with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

steel roll container 1600, 800 x 1.600 mm 800 x 1.600 x 1.825 mm			
	3-sided 765 x 1.545 x 1.620 mm	4-sided 740 x 1.545 x 1.620 mm	5-sided 740 x 1.545 x 1.600 mm
steel roll container	S38001600FC053	S48001600FC053	S58001600FC053
wire mesh intermediate shelf	ZD1600ORKFC001		
steel base	S08001600FC053		



5-SIDED
INCL. WIRE BASKET TOP FRAME AND THREE INTERMEDIATE
SHELVES (AVAILABLE AS ACCESSORIES)



4-SIDED
INCL. THREE
INTERMEDIATE SHELVES



5-SIDED



620 x 1.500 mm



500 kg



3- / 4- / 5-sided



steel

Steel roll container 620 x 1500 mm

- base made of rectangular tube 40 x 20 mm
- with two swivel and two swivel castors with total brake, $\varnothing$ 125 mm, wheel center / tread: polyamide / elastic
- side panels, split back panel, lockable double wing door and roof made of round tube $\varnothing$ 22 mm with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

	steel roll container 620 x 1500 mm		
	3-sided	4-sided	5-sided
	620 x 1.500 x 1.400 mm 585 x 1.445 x 1.200 mm	620 x 1.500 x 1.400 mm 555 x 1.445 x 1.200 mm	620 x 1.500 x 1.400 mm 555 x 1.445 x 1.185 mm
steel roll container 1200 without intermediate shelf	S36201500FC053	S46201500FC053	S56201500FC053
	3-sided	4-sided	5-sided
	620 x 1.500 x 1.700 mm 585 x 1.445 x 1.500 mm	620 x 1.500 x 1.700 mm 555 x 1.445 x 1.500 mm	620 x 1.500 x 1.700 mm 555 x 1.445 x 1.485 mm
steel roll container 1500 without intermediate shelf	S36201500FC153	S46201500FC153	S56201500FC153
wire mesh intermediate shelf	ZD6201500MRKFC		
wire basket top frame	BWASF6201500C		
steel base	S06201500FC053		



IDEAL FOR
SPORT EQUIPMENT

5-SIDED
INCL. WIRE BASKET TOP FRAME AND FOUR
INTERMEDIATE SHELVES WITH 40 MM UPSTAND

620 x 1.500 mm

500 kg

3- / 4- / 5-sided

steel



3-SIDED
INCL. FOUR INTERMEDIATE
SHELVES WITH 40 MM UPSTAND



5-SIDED
INCL. FOUR INTERMEDIATE
SHELVES WITH 40 MM UPSTAND

Through the following options and features the steel roll containers are especially applicable for the storage of sports equipment:

- variably mountable wire mesh intermediate shelves with 40 mm high upstand in the front
- base also with 40 mm high upstand in the front
- wire basket top frame, 150 mm high, for additional storage space on the steel roll container



WIRE BASKET TOP FRAME

steel roll container ADB 1200, 620 x 1.500 mm 5-sided	620 x 1.500 x 1.400 mm	555 x 1.445 x 1.185 mm
steel roll container incl. three intermediate shelves with 40 mm upstand	S56201500FO3ZC053	
steel roll container ADB 1200, 620 x 1.500 mm 5-sided	620 x 1.500 x 1.545 mm	555 x 1.445 x 1.185 mm
steel roll container incl. wire basket top frame and three intermediate shelves with 40 mm upstand	S56201500FA3ZC053	
steel roll container ADB 1500, 620 x 1.500 mm 5-sided	620 x 1.500 x 1.700 mm	555 x 1.445 x 1.485 mm
steel roll container incl. four intermediate shelves with 40 mm upstand	S56201500FO4ZC153	
steel roll container ADB 1500, 620 x 1.500 mm 5-sided	620 x 1.500 x 1.845 mm	555 x 1.445 x 1.485 mm
steel roll container incl. wire basket top frame and four intermediate shelves with 40 mm upstand	S56201500FA4ZC153	



BALL CART
WITH BIG SEPARATION GRIDS



BALL CART WITH
SMALL SEPARATION GRIDS



610 x 1.040 x 1.000 mm



150 kg



5-sided



steel

Ball cart, 610 x 1040 mm

- foldable ball cart with two tailboards
- with four swivel castors, ø 100 mm, wheel center / tread: polypropylene / thermoplastic rubber
- usable height ca. 870 mm
- mesh 40 x 100 mm
- surface: galvanized blue, Cr 3



ball cart, 600 x 1.040 mm



585 x 950 x 870 mm

ball cart

BW1040C032

separation grid small 610 x 450 mm

BW1040TWKC

separation grid big 840 x 580 mm

BW1040TWGC



STEEL ROLL CONTAINER 1650



CLAMPED BACK PANEL



LOW-NOISE ELASTIC WHEEL



600 x 800 x 1.795 mm



400 kg



3-sided



steel

Steel roll container 1650, 600 x 800 mm

- frame made of rectangular tube 20 x 20 mm
- with two swivel and two fixed castors, $\varnothing$ 100 mm, wheel center / tread: polyamide / elastic
- two side panels and one back panel made of round tube $\varnothing$ 20 mm with infill made of wire rods $\varnothing$ 6 mm
- quick and easy assembling through clamped back panel
- surface: galvanized blue, Cr 3

steel roll container 1650, 600 x 800 mm



600 x 800 x 1.795 mm |  545 x 765 x 1.650 mm

steel roll container 3-sided


S3600800CC051



**TOTAL
THEFT PROTECTION**



HANDLE SET



RIVETED BACK PANEL OFFERS
OPTIMAL THEFT PROTECTION



800 x 1.200 x 1.820 mm



500 kg



5-sided



steel

Steel roll container ADB 1600, 800 x 1.200 mm

- base made of rectangular tube 30 x 20 mm
- with two swivel and two swivel castors with total brake, $\varnothing$ 125 mm, wheel center / tread: polypropylene
- side panels, back panel, lockable double wing door and roof made of square tube 22 mm with mesh 50 x 50 x 4 mm
- back panel and roof riveted for high theft protection
- vertical locking latch ensures ideal safety
- surface: galvanized blue, Cr 3

steel roll container ADB 1600, 800 x 1200 mm 			800 x 1.200 x 1.820 mm
steel roll container	5-sided without intermediate shelf  750 x 1.150 x 1.575 mm	5-sided incl. one intermediate shelf  750 x 1.150 x 1.575 mm	5-sided with visual cover and one intermediate shelf  750 x 1.150 x 1.575 mm
	S58001200KCOZ016	S58001200KC1Z016	S58001200KC1Z116
handle set	S5ZUBF002	S5ZUBF002	S5ZUBF002



AVAILABLE WITH
VISUAL COVER

5-SIDED
INCL. ONE INTERMEDIATE SHELF
AND VISUAL COVER



5-SIDED
WITH VISUAL COVER



CHASSIS

 800 x 1.200 x 1.820 mm

 500 kg

 5-sided

 steel

- visual cover made of grey twin-wall sheet optionally available
- perfect privacy protection
- maximum theft protection



MAXIMUM THEFT PROTECTION
THROUGH LOCKABLE DOOR
(PADLOCK NOT INCLUDED IN THE DELIVERY SCOPE)

All benefits at a glance



BACK PANEL AND ROOF RIVETED
FOR HIGH THEFT PROTECTION



CHASSIS MADE OF
RECTANGULAR TUBE 30 X 20 MM



STURDY, VERTICAL
LOCKING MECHANISM



LOCKING LATCH
WITH HANDLE UNIT

NEW



2-SIDED
INCL. ONE INTERMEDIATE SHELF



HANDLE SET



INTERMEDIATE SHELF
WITH UPSTAND



800 x 1.200 x 1.800 mm



500 kg



2-sided



steel

Steel roll container 1600, 800 x 1.200 mm

- chassis made of rectangular tube 30 x 20 mm
- side panel and back panel strut made of square tube 22 x 22 mm
- with one swivel castor, one swivel castors with total brake and two fixed castors, $\varnothing$ 125 mm, wheel center / tread: polyamide / polyurethane
- can be loaded from both sides, ideal for order picking
- open back panel, only with a stabilizing strut
- intermediate shelves with and without upstand
- optionally available: handle set (Art.-Nr.: GRKS330C002), retrofittable
- surface: galvanized blue, Cr 3

steel roll container 800 x 1200 mm, 2-sided |  780 x 1.145 x 1.600 mm

steel roll container 800 x 1.200 mm, 2-sided,
without intermediate shelf, Cr 3

S38001200KCOZ1E2

wire mesh intermediate shelf for steel roll
container, 800 x 1.200 mm, without upstand /
insertable, Cr 3

ZD1200DDKC001

wire mesh intermediate shelf for steel roll con-
tainer, 800 x 1.200 mm, with 20 mm upstand /
insertable, Cr 3

ZD1200DDKC002



IDEAL FOR
EURONORM BOXES

2-SIDED
WITH HANDLES



3-SIDED



415 x 680 x 1.555 mm



500 kg



2-/3-sided



steel

Picking cart S

- chassis made of rectangular tube 30 x 20 mm
- with two swivel and two fixed castors, $\varnothing$ 100 mm, wheel center / tread: polyamide / polyurethane
- two side panels made of square tube 20 x 20 mm with mesh 50 x 50 mm
- load capacity: up to 500 kg / max. 50 kg per level
- only 415 mm wide, perfect for narrow corridors
- surface: galvanized blue, Cr 3

picking cart  405 x 640 x 1.390 mm

picking cart S, 415 x 680 mm, 2-sided, without intermediate shelf, Cr 3

K2415680KCOZ001E4

picking cart S, 415 x 680 mm, 3-sided, without intermediate shelf, Cr 3

K3415680KCOZ001E4

wire mesh intermediate shelf set for picking cart S,

406 x 640 mm, without upstand / fixed, Cr 3

ZDS680ORKKC001

wire mesh intermediate shelf for picking cart S,

392 x 603 mm, without upstand / insertable, Cr 3

ZD680ORKKC002

wire mesh intermediate shelf for picking cart S,

377 x 603 mm, with 20 mm upstand / insertable, Cr 3

ZD680MRKKC003

wire mesh intermediate shelf for picking cart S,

377 x 603 mm, with 100 mm upstand / insertable, Cr 3

ZD680MRKKC004

separation grid for wire mesh intermediate shelf for picking cart S,

370 mm, insertable, Cr 3

TG680KC004

picking board with clipboard, Cr 3, foldable at an angle

MKTKC02

handle set ME blue, 115 x 400 mm, for picking cart S/M/L

GS400K5010002



3-SIDED
WITH FOLDING STEP



2-SIDED
INCL. INTERMEDIATE SHELVES



2-SIDED



510 x 940 x 1.630 mm



300 kg



2-/3-sided





steel

Picking cart M 510

- available in 2 different lengths 940 and 1.340 mm
- 2-sided picking cart with stabilizing strut
- with four bolt hole swivel castors, ø 125 mm, wheel center / tread: polyamide / polyurethane
- two side panels made of square tube 20 x 20 mm with mesh 50 x 50 mm
- load capacity: 300 kg
- surface: galvanized blue, Cr 3

picking cart  510 x 940 x 1.630 mm	
 2-sided 460 x 850 x 1.425 mm	 3-sided 460 x 850 x 1.425 mm
picking cart M, 510 x 940 mm, 2-sided, without intermediate shelf, Cr 3	K2510940KCOZ001J3
picking cart M, 510 x 940 mm, 3-sided, without intermediate shelf, Cr 3	K3510940KCOZ001J3
wire mesh intermediate shelf set for picking cart M 940, 460 x 850 mm without upstand / fixed, Cr 3	ZDS940ORKKC001
wire mesh intermediate shelf for picking cart M 940, 440 x 813 mm, without upstand / insertable, Cr 3	ZD940ORKKC002
wire mesh intermediate shelf for picking cart M 940, 450 x 810 mm, with 20 mm upstand / insertable	ZD940MRKKC003
folding step extension kit for picking cart M, Cr 3	KLTS510K7015001

	picking cart  510 x 1.340 x 1.630 mm	
	2-sided  460 x 1.245 x 1.425 mm	3-sided  460 x 1.245 x 1.425 mm
picking cart M, 510 x 1.340 mm, 2-sided, without intermediate shelf, Cr 3	K25101340KC0Z001J3	K35101340KC0Z001J3
picking cart M, 510 x 1.340 mm, 3-sided, without intermediate shelf, Cr 3		
wire mesh intermediate shelf for picking cart M, 510 x 1.340 mm, without upstand / fixed, Cr 3	ZDS1280ORKKC001	
wire mesh intermediate shelf for picking cart M, 510 x 1.340 mm, without upstand / insertable, Cr 3	ZD1280ORKKC001	
wire mesh intermediate shelf for picking cart M, 510 x 1.340 mm, with upstand / insertable, Cr 3	ZD1280MRKKC001	
folding step extension kit for picking cart M, Cr 3	KLTS510K7015001	



	accessories for all picking carts 1425 ME	
5th wheel / guide wheel, ø 125mm	FÜR125KC01V7	
picking board with clipboard, inclined mountable, grey	MKTKCO2	
handle set ME blue, 115 x 400 mm, for picking cart S / M / L	GS400K5010002	



2-SIDED



3-SIDED

3-SIDED
WITH FOLDING STEP AND PICKING BOARD



670 x 940 / 1340 x 1625 mm



300 kg



2-/3- sided





steel

Picking cart L 670

- available in 2 different lengths 940 and 1.340 mm
- 2- and 3-sided version
- 2-sided picking cart with stabilizing strut
- with four bolt hole swivel castors, ø 125 mm, wheel center / tread: polyamide / polyurethan red
- two side panels made of square tube 20 x 20 mm with mesh 50 x 50 mm
- load capacity: 300 kg
- surface: galvanized blue, Cr 3

picking cart  670 x 940 x 1.625 mm	
2-sided  620 x 850 x 1.425 mm	3-sided  620 x 850 x 1.425 mm
L, 670 x 940 mm, 2-sided, without intermediate shelf, Cr 3 L, 670 x 940 mm, 3-sided, without intermediate shelf, Cr 3	K2670940KCOZ001J3
wire mesh intermediate shelf set for picking cart L 940, 615 x 850 mm, without upstand / fixed, Cr 3	ZDS940ORKKC004
wire mesh intermediate shelf for picking cart L 940, 600 x 810 mm, without upstand / insertable, Cr 3	ZD940ORKKC005
wire mesh intermediate shelf for picking cart L 940, 600 x 810 mm, with 20 mm upstand / insertable, Cr 3	ZD940MRKKC006
folding step extension kit for picking cart L, Cr 3	KLTS620K7015001

	picking cart  670 x 1.340 x 1.625 mm	
	2-sided  620 x 1.250 x 1.425 mm	3-sided  620 x 1.250 x 1.425 mm
picking cart L, 670 x 1.340 mm, 2-sided, without intermediate shelf, Cr 3 picking cart L, 670 x 1.340 mm, 2-sided, without intermediate shelf, Cr 3	K26701340KCOZ001J3	K36701340KCOZ001J3
wire mesh intermediate shelf Set for picking cart L 1340, 615 x 1.250 mm, without upstand / fixed, Cr 3	ZDS1340ORKKC007	
wire mesh intermediate shelf for picking cart L 1340, 600 x 1.200 mm, without upstand / insertable, Cr 3	ZD1340ORKKC008	
wire mesh intermediate shelf for picking cart L 1340, 600 x 1.200 mm, with 20 mm upstand / insertable, Cr 3	ZD1340MRKKC009	
folding step extension kit for picking cart L, Cr 3	KLTS620K7015001	



	accessories for all picking carts 1425 ME	
5th wheel / guide wheel, ø 125mm	FÜR5125KC01V7	
picking board with clipboard, inclined mountable, grey	MKTCKO2	
handle set ME blue, 115 x 400 mm, for picking cart S / M / L	GS400K5010002	

rolltainer®

nestainer®

Steel roll
containers

Laundry
containers

rolldolly®

Cargo systems

Special
applications

Wheels and
castors

Accessories



Picking cart XL

- chassis made of rectangular tube 50 x 20 mm
- 2-sided picking cart with stabilizing strut
- with two swivel castors with brake and two fixed castors, ø 160 mm, wheel center / tread: polyamide / polyurethan
- two side panels made of square tube 25 x 25 mm with mesh 70 x 100 mm
- one back panel made of square tube 25 x 25 mm with mesh 50 x 100 mm, insertable
- load capacity: up to 500 kg / base: 200 kg / 150 kg per level
- surface: galvanized blue, Cr 3

	picking cart  800 x 1.247 x 1.400 mm
picking cart XL, 800 x 1.300 mm, 2-sided, without intermediate shelf, Cr 3	K28001300KCOZ001J8
picking cart XL, 800 x 1.300 mm, 3-sided, without intermediate shelf, Cr 3	K38001300KCOZ001J8
separation grid for the base of picking cart XL 800 x 1.300 mm, without upstand / fixed, Cr 3	TGF770200KC001
wire mesh intermediate shelf for picking cart XL 800 x 1.300 mm, without upstand / fixed, Cr 3	ZDS1300ORKKC001
separation grid for intermediate shelves of picking cart XL 800 x 1.300 mm, without upstand / fixed, Cr 3	TGZS770200KC001
plywood panel, 750 x 1.245 mm, for base and intermediate shelf of picking cart XL	HPBS75012409SF
upstand for intermediate shelves of picking cart XL 800 x 1.300 mm, fixed, Cr 3	RKZDS123530KC001
grip-set ME blue, 115 x 400 mm, for picking cart XL	GS400K5010001
folding step extension kit for picking cart XL, Cr 3	KLTS800K7015001
forklift entry lugs for steel roll container and picking cart, Cr 3	MKUF18090C
picking board with clipboard, Cr 3, inclined mountable	MKTKCO2



FLAP OPENED



FLAP CLOSED



LOADING PLATFORM
WITH 30 X 30 MM MESH

800 x 1.200 mm

500 kg

4-sided

steel

Mesh stacking frame VZ on steel base

- chassis made of rectangular tube 30 x 20 mm
loading platform: longitudinal bars made of flat steel with wire frame surface
- with two swivel and two swivel castors with total brake, $\varnothing$ 125 mm, wheel center / tread: polypropylene
- one long side with 1/2 flap, tube frame $\varnothing$ 22 x 1.8 mm,
- surface: galvanized blue, Cr 3

mesh stacking frame galvanized on steel base

800 x 1.200 x 985 mm, usable height 800 mm

S48001200800CS1016

total height 800 x 1.200 x 1.185 mm

S480012001000CS1016

total height 800 x 1.200 x 1.385 mm

S480012001200CS1016